

# 東莞永力電業有限公司

YUNG LI CO., LTD

No.32,Dapu Industrial St.,GangZi,Chang Ping Town,  
DongGuan City,GuangDong Province,China 523571

TEL:0769-83396797~8

HAX:0769-83396796

E-mail: sales@yung-li.com

Description: YP-23/YC-14

Customer: MAG

Parts No. : CB-3

Draw No. :

## *REVISION RECORD*

1		
2		
3		
4		
5		


YUNG LI	
CHECKED	PREPARED BY

CUSTOMER	APPROVED








N18720

No advice if add any approval marks on this POWER CORD



NO.	SPECIFICATION	QTY	REMARK
1	H05VV-F 0.75/3G BLACK	1PC	1810±20(YL)
2	YP-23 PVC PLASTIC:50P BLACK	32g/PC	
3	TER:98651 BLACK	1PC	
4	YC-14 PVC PLASTIC:50P BLACK	18g/PC	
5	TER:98714PS-0	2PCS	
6	TER:98732PS-0	1PC	
7	YC-14 H. S. G	1PC	
8	MINI TIE BLACK	1PC	
9	LABEL:50*30mm	1PC	





TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD			
	CHECKED		DATE					
	DRAWN	SUKI	DATE	24.06.07	CUSTOMER	MAG		
	TYPE	YP-23/YC-14			P/N	CB-3		
	DRAWING NO.	CY-V1076-03	REV	B	MATERIAL	P. V. C	UNIT	mm
				SCALE				



TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD			
	CHECKED		DATE					
	DRAWN	陳守瑞	DATE	24.06.12				
	TYPE	YP-23			P/N			
	DRAWING NO.				MATERIAL	PVC	UNIT	mm
				SCALE	1:1			



N18720



TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD.			
	CHECKED		DATE					
	DRAWN		DATE					
	TYPE	YC-14 ENEC+SAA			P/N			
DRAWING NO				MATERIAL	P.V.C	UNIT	mm	
				SCALE	1:1			

# YUNG LI CO., LTD




## SPECIFICATION

Yung Li	Style	PVC FLEXIBLE CORDS	Document No
2025.02.13			
Edition	Size	<b>H05VV-F 3G 0.75mm<sup>2</sup></b>	Page
A			1/2

1. Standard: IEC 60227 IEC60228  
 2. Construction & Dimension

	Item	Specification
Conductor	Size	3G 0.75mm <sup>2</sup>
	Material	Annealed Bare Copper
	Construction	24/ § 0.202±0.008
Insulation	Material	PVC
	Minimum Average Thickness	0.60mm
	Minimum Thickness at any point	0.44mm
	Diameter	2.35 ± 0.10
	Identification	Blue,Brown,Green/Yellow
Core Assembly	Core Twist	3-Core
	Filler	NA
	Assembly Pair	NA
Taping	Mylar Foil	NA
Shielded	A1-Mylar Foil	NA
Drain	Material	NA
	Construction	NA
Jacket	Material	PVC
	Minimum Average Thickness	0.8mm
	Minimum Thickness at any point	0.58mm
	Overall Diameter(Approx)	6.7 ± 0.2
	Color	Any Color

### Marking:

Yung Li Co., Ltd. H05VV-F 3G 0.75mm<sup>2</sup> <VDE>  SAA-190646-EA  
 SU01027-4002  A004049 60227 IEC 53(RVV) 300/500V

# YUNG LI CO., LTD


## SPECIFICATION

Yung Li	Style	PVC FLEXIBLE CORDS	Document No
2025.02.13			
Edition	Size	<b>H05VV-F 3G 0.75mm<sup>2</sup></b>	Page
A			2/2

### 3. Electrical & Physical Properties

Item	Specification		
Rating Voltage	70°C 300/500V		
Conductor resistance(AT 20°C)	26.0Ω/Km MAX		
Insulation Resistance(AT 70°C)	0.011MΩ/Km Min		
Dielectric Strength	AC 2.0 KV / 15 min No Break		
Spark Test	6.0KV		
Insulation	Unaged	Tensile Strength	1.02 kgf/mm <sup>2</sup> min
		Elongation	150% Min
	Aged	Tensile Strength	80~120% (80°C x168hrs)
		Elongation	80~120% (80°C x168hrs)
	Loss of mass Test		2.0mg/cm <sup>2</sup> (max)
Jacket	Unaged	Tensile Strength	1.02 kgf/mm <sup>2</sup> min
		Elongation	150% Min
	Aged	Tensile Strength	80~120% (80°C x168hrs)
		Elongation	80~120% (80°C x168hrs)
	Loss of mass Test		2.0mg/cm <sup>2</sup> (max)
Deformation Test		70±2°C X 4hr ≤ 50%	
Cold Bend Test		-15°C x 1hr No Crack	
Heat Shock Test		150±2°C x 1hr No Crack	

### Graph:



## ZEICHENGENEHMIGUNG MARKS APPROVAL

Yung Li Co. Ltd.  
No. 32 Dapu Industrial St., Changping Town  
523571 Dongguan City  
Guangdong  
China

ist berechtigt, für ihr Produkt /  
*is authorized to use for their product*

**Stecker mit Schutzkontakt, nicht wiederanschließbar, umspritzt**  
***Plug, with earthing contact, non-rewirable, moulded***

die hier abgebildeten markenrechtlich geschützten Zeichen  
für die ab Blatt 2 aufgeführten Typen zu benutzen /  
*the legally protected Marks as shown below for the types referred to on page 2 ff.*



Geprüft und zertifiziert nach /  
*Tested and certified according to*

DIN VDE 0620-2-1 (VDE 0620-2-1):2016-01

DIN VDE 0620-2-1/A1 (VDE 0620-2-1/A1):2017-09

Das Produkt erfüllt auch die Anforderungen nach /  
*The product also fulfills the requirements of*

DIN VDE 0620-2-1/A1 (VDE 0620-2-1/A1):2023-09

Befristet zum / *valid until:* 2025-12-31

VDE Prüf- und Zertifizierungsinstitut GmbH  
*VDE Testing and Certification Institute*  
Zertifizierungsstelle / *Certification*

M. Tasotti

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:  
*VDE certificates are valid only when published on:*

Aktenzeichen: 1609800-1560-0002 / 307809

*File ref.:*

Ausweis-Nr. 40003801

*Certificate No.*

Weitere Bedingungen siehe Rückseite und Folgeblätter /  
*further conditions see overleaf and following pages*

Offenbach, 2002-10-30

(letzte Änderung/updated 2025-04-11 )

Blatt 1

*Page*

<http://www.vde.com/zertifikat>

<http://www.vde.com/certificate>

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-1560-0002 / 307809 / TL3 / RHZ

letzte Änderung / *updated*

2025-04-11

Datum / *Date*

2002-10-30

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40003801.

*This supplement is only valid in conjunction with page 1 of the Certificate No. 40003801.*

## **Stecker mit Schutzkontakt, nicht wiederanschließbar, umspritzt** **Plug, with earthing contact, non-rewirable, moulded**

Typ(en) / *Type(s)*

### **YP-23**

Bemessungsspannung  
*Rated voltage*

AC 250 V

Bemessungsstrom  
*Rated current*

16 A

Polzahl  
*Number of poles*

2-polig mit zwei Schutzkontaktsystemen  
*2-pole with two earthing contact systems*

Bauart  
*Kind of construction*

DIN 49441-R2

Schutzart  
*Degree of protection*

IP 20

Produktinformation  
*Product information*

siehe Anlage Nr.: 700 + 800 + 850 + 900 vom 2025-04-11  
*see Appendix No.:700 + 800 + 850 + 900 dated 2025-04-11*

# VDE Prüf- und Zertifizierungsinstitut Zeichengenehmigung

Ausweis-Nr. / Beiblatt /  
Certificate No. Supplement  
40003801

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-1560-0002 / 307809 / TL3 / RHZ

letzte Änderung / *updated*

2025-04-11

Datum / *Date*

2002-10-30

Dieses Beiblatt ist Bestandteil des Zeichengenehmigungsausweises Nr. 40003801.

*This supplement is part of the Certificate No. 40003801.*

**Stecker mit Schutzkontakt, nicht wiederanschließbar, umspritzt**  
**Plug, with earthing contact, non-rewirable, moulded**

**Fertigungsstätte(n)**

**Place(s) of manufacture**

Referenz/*Reference*  
**30008928**

Yung Li Co. Ltd.  
No. 32 Dapu Industrial St., Changping Town  
523571 DONGGUAN CITY  
Guangdong  
CHINA



Name und Sitz des Genehmigungs-Inhabers / Name and registered seat of the Certificate holder

Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / File ref.

1609800-1560-0002 / 307809 / TL3 / RHZ

letzte Änderung / updated

2025-04-11

Datum / Date

2002-10-30

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40003801.

*This supplement is only valid in conjunction with page 1 of the Certificate No. 40003801.*

## **Genehmigung zum Benutzen des auf Seite 1 abgebildeten markenrechtlich geschützten Zeichens des VDE:**

Grundlage für die Benutzung sind die Allgemeinen Geschäftsbedingungen (AGB) der VDE Prüf- und Zertifizierungsinstitut GmbH ([www.vde.com\AGB-Institut](http://www.vde.com\AGB-Institut)). Das Recht zur Benutzung erstreckt sich nur auf die bezeichnete Firma mit den genannten Fertigungsstätten und die oben aufgeführten Produkte mit den zugeordneten Bezeichnungen. Die Fertigungsstätte muss so eingerichtet sein, dass eine gleichmäßige Herstellung der geprüften und zertifizierten Ausführung gewährleistet ist.

Die Genehmigung ist so lange gültig wie die VDE Bestimmungen gelten, die der Zertifizierung zugrunde gelegen haben, sofern sie nicht auf Grund anderer Bedingungen aus der VDE Prüf- und Zertifizierungsordnung (PM102) zurückgezogen werden muss.

Der Gültigkeitszeitraum einer VDE GS-Zeichengenehmigung kann auf Antrag verlängert werden. Bei gesetzlichen und / oder normativen Änderungen kann die VDE GS-Zeichengenehmigung ihre Gültigkeit zu einem früheren als dem angegebenen Datum verlieren.

Produkte, die das Biozid Dimethylfumarat (DMF) enthalten, dürfen gemäß der Kommissionsentscheidung 2009/251/EG nicht mehr in den Verkehr gebracht oder auf dem Markt bereitgestellt werden.

Der VDE Zeichengenehmigungsausweis wird ausschließlich auf der ersten Seite unterzeichnet.

### **Approval to use the legally protected Mark of the VDE as shown on the first page:**

*Basis for the use are the general terms and conditions of the VDE Testing and Certification Institute ([www.vde.com\terms-institute](http://www.vde.com\terms-institute)). The right to use the mark is granted only to the mentioned company with the named places of manufacture and the listed products with the related type references. The place of manufacture shall be equipped in a way that a constant manufacturing of the certified construction is assured.*

*The approval is valid as long as the VDE specifications are in force, on which the certification is based on, unless it is withdrawn according to the VDE Testing and Certification Procedure (PM102E).*

*The validity period of a VDE GS-Mark Approval may be prolonged on request. In case of changes in legal and / or normative requirements, the validity period of a VDE GS-Mark Approval may be shortened.*

*Products containing the biocide dimethylfumarate (DMF) may not be marketed or made available on the EC market according to the Commission Decision 2009/251/EC.*

*The approval is solely signed on the first page.*



# ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: **21721-007-09**

Valid from: 2025 04 30  
until: 2027 04 30

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Certificate holder: **Yung Li Co. Ltd.**  
No. 32, Dapu Industrial St., Changping Town  
523571 Dongguan City, Guangdong Province  
China

Product: **Non rewirable two pole plug with dual earthing system**

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the certificate holder holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s): **3914-1199/03-NA1**

**Österreichischer Verband für Elektrotechnik**  
Head of OVE Certification

*T. Neumayer*  
Digitally signed by T. Neumayer  
Email=t.neumayer@ove.at



Wien, 2025 02 05

Dipl.-Ing. T. Neumayer

## OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



**Manufacturer:**

Yung Li Co. Ltd.  
No. 32, Dapu Industrial St., Changping Town  
523571 Dongguan City, Guangdong Province  
China

**Factory location(s):**

Yung Li Co. Ltd.  
No. 32, Dapu Industrial St., Changping Town  
523571 Dongguan City, Guangdong Province  
China

**Tested and certified according to:**

OVE E 8684-1:2021-12-01

**Product: Non rewirable two pole plug with dual earthing system**

**Type designation:**

*Rating:*

**Trademark:**

**YP-23**

Rated voltage: AC 250 V  
Rated current: 16 A  
H03VV-F 3 G 0,75

YUNG LI, YUNG LI CO.,LTD.

**YP-23**

Rated voltage: AC 250 V  
Rated current: 16 A  
H05VV-F 3 G 0,75

YUNG LI, YUNG LI CO.,LTD.

**YP-23**

Rated voltage: AC 250 V  
Rated current: 16 A  
H05VV-F 3 G 1

YUNG LI, YUNG LI CO.,LTD.

**YP-23**

Rated voltage: AC 250 V  
Rated current: 16 A  
H05VV-F 3 G 1,5

YUNG LI, YUNG LI CO.,LTD.

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

**LCIE N° : NF012\_3922**

Titulaire :  
*License Holder:*

**YUNG LI Co., Ltd.**  
Da Pu Industrial Zone, Gang Zi, Chang Ping Town  
523571 Dongguan City, Guangdong Province - Chine

Site de fabrication :  
*Factory:*

**YUNG LI Co., Ltd. (N°1532AP)**  
Da Pu Industrial Zone, Gang Zi, Chang Ping Town  
523571 Dongguan City, Guangdong Province - Chine

Produit :  
*Product:*

**Fiche de prise de courant**  
*Plug*

Marque commerciale (s'il y a lieu) :  
*Trade mark (if any):*

YUNG LI

Modèle, type, référence :  
*Model, type, reference:*

YP-23

Caractéristiques principales :  
*Main characteristics:*

Voir Annexe / *See Annex*

Informations complémentaires :  
*Additional information:*

/

Le produit est conforme à :  
*The product is in conformity with:*

NF C 61-314:2017

Documents pris en compte :  
*Relevant documents:*

Rapport(s) d'essai(s) / *Test report(s)* n°CJRF-ESH-P2303126

Annule et remplace (s'il y a lieu) :  
*Cancel and replaces (if necessary):*

La licence / *License* 621359 du/of 11/01/2012. Changement d'adresse du titulaire / *change address of licence holder* Mise à jour suite à évolution de(s) norme(s)/*update further to the evolution of the standard(s)*


En vertu de la présente décision notifiée par le LCIE organisme mandaté, AFNOR Certification accorde le droit d'usage de la Marque NF à la société qui en est titulaire pour les produits visés ci-dessus, dans les conditions définies par les règles générales de la Marque NF et par les règles de certification NF, pour autant que les contrôles réguliers de la fabrication et les vérifications par tierce partie soient satisfaisants.

*On the strength of the present decision notified by LCIE mandated certification body, AFNOR Certification grants the right to use the NF Mark to the licence holder for the above mentioned products, within the frame of the general rules of the NF Mark and of the NF certification rules, as far as the regular checking and third party verifications of the production are satisfactory.*

Fontenay-aux-Roses, 27/04/2023

Date de fin de validité / *Expiry date* :

La validité de la présente licence cesse dès l'annulation de l'une des normes sur lesquelles elle est fondée.  
*The present license is valid until the cancellation of one of the standards on which it is based.*

  
**Julien GAUTHIER**  
Responsable Certification/Certification Officer

**LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES**  
S.A.S au capital de 15.745.984 €  
RCS Nanterre B 408 363 174  
33 avenue du Général Leclerc  
F - 92266 FONTENAY AUX ROSES

**RÉFÉRENCES - CARACTÉRISTIQUES PRINCIPALES**  
**REFERENCES - MAIN CHARACTERISTICS**

Feuille de norme / <i>Standard Sheet</i>	V
Courant nominal / <i>Rated current (A)</i> Tension nominale / <i>Rated voltage (V)</i>	16A 250 V~
Degré de protection <i>Degree of protection</i>	IP20
Présence de contact de terre <i>Provision for earthing</i>	avec contact de terre - <i>with earthing contact</i>
Procédé de raccordement du câble <i>Method of connecting the cable</i>	non démontable - <i>non-rewirable</i>
Type de connexion <i>Type of connections</i>	sertie – <i>crimped</i>
Couleur <i>Colour</i>	toutes couleurs – <i>any colours</i>
Broches <i>Pins</i>	massives - <i>solid</i>
<b>fiches / <i>plugs</i></b>	
Classe du matériel <i>Class of equipment</i>	I
Entrée de câble <i>Entry of cable</i>	longitudinale - <i>longitudinal</i>

<b>Composants</b> <i>Components</i>	<b>Modèle</b> <i>Model</i>	<b>Fabricant</b> <i>Manufacturer</i>	<b>Conformité</b> <i>Conformity</i>	<b>Validité</b> <i>Validity</i>
Câble / <i>Cable</i>	H05VV-F 3x0,75/1,0/1,5mm <sup>2</sup>	Yung-Li Co. Ltd.	VDE	-
	H03VV-F 3x0,75 mm <sup>2</sup>			



# CERTIFICATE

No. P22226557



**Applicant** Yung Li Co., Ltd. China  
Da Pu Industrial Zone, Chang Ping Town, Dong Guan City, 523571 Guangdong  
China

**Manufacturer** Yung Li Co., Ltd. China  
Da Pu Industrial Zone, Chang Ping Town, Dong Guan City, 523571 Guangdong  
China

**Factory** Yung Li Co., Ltd. China  
Da Pu Industrial Zone, Chang Ping Town, Dong Guan City, 523571 Guangdong  
China

**Project Number** PRJ0019919

**Product** Plugs

**Model/Type Ref.** YP-23

**Ratings** 16A 250V~

**Trademark** YUNG LI

**Principal Characteristics** Non-rewirable two-pole plug with dual earthing contacts. Standard Sheet VII of  
NEK 502, Thermoplastic, with cable H03VV-F 3G0.75mm<sup>2</sup>, IP20.

**A sample of the product was tested and found to be in conformity with** Safety IEC 60884-1:2002, IEC 60884-1:2002/AMD1:2006, IEC 60884-1:2002/AMD2:2013  
NEK 502:2016/AMD1:2022

**Validity** This certificate documents conformity with the standards shown, and also applies as license for use of Nemko's name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation.

New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.

## Additional Information

**Additional model(s)** (1) See page 2

**Signature** Name: Juan Saussey

Certification Department

**Date of issue** 23 / 11 / 2022

Working for a more sustainable future- Please do not print



[www.nemko.com](http://www.nemko.com)

Page 1 of 3



# CERTIFICATE

No. P22226557



**Product** Plugs  
**Variant No.** 1  
**Model/Type Ref.** YP-23  
**Ratings** 16A 250V~  
**Trademark (if different from page 1)** YUNG LI  
**Principal Characteristics** Non-rewirable two-pole plug with dual earthing contacts. Standard Sheet VII of NEK 502, Thermoplastic, with cable H05VV-F 3G0.75-1-1.5mm<sup>2</sup>, IP20.

**Product** Plugs  
**Variant No.** 2  
**Model/Type Ref.** YP-23  
**Ratings** 16A 250V~  
**Trademark (if different from page 1)** YUNG LI  
**Principal Characteristics** Non-rewirable two-pole plug with dual earthing contacts. Standard Sheet VII of NEK 502, Thermoplastic, with cable H03V2V2-F 3G0.75mm<sup>2</sup>, IP20.

**Product** Plugs  
**Variant No.** 3  
**Model/Type Ref.** YP-23  
**Ratings** 16A 250V~  
**Trademark (if different from page 1)** YUNG LI  
**Principal Characteristics** Non-rewirable two-pole plug with dual earthing contacts. Standard Sheet VII of NEK 502, Thermoplastic, with cable H05V2V2-F 3G0.75-1-1.5mm<sup>2</sup>, IP20.

**Signature**  
**Date of issue**

Name: Juan Saussey  
Certification Department  
23 / 11 / 2022





# CERTIFICATE

No. P22226557



<b>Product</b>	Plugs
<b>Variant No.</b>	4
<b>Model/Type Ref.</b>	YP-23
<b>Ratings</b>	16A 250V~
<b>Trademark (if different from page 1)</b>	YUNG LI
<b>Principal Characteristics</b>	Non-rewirable two-pole plug with dual earthing contacts. Standard Sheet VII of NEK 502, Thermoplastic, with cable H05RN-F 3G0.75-1.0mm <sup>2</sup> , IP20.

**Signature**

**Date of issue**

Name: Juan Saussey  
Certification Department  
23 / 11 / 2022



[www.nemko.com](http://www.nemko.com)

Page 3 of 3

# DEMKO CERTIFICATE

<b>Certificate No.</b>	D-06216
<b>Page</b>	1/3
<b>Date of Issue</b>	2017-11-14
<b>Certificate Holder</b>	Yung Li Co Ltd 7F-12 No 99 Sec 1 Xintai 5th Rd Xizhi District New Taipei, 22175 Taiwan
<b>Manufacturer</b>	Yung Li Co Ltd 7F-12 No 99 Sec 1 Xintai 5th Rd Xizhi District New Taipei, 22175 Taiwan
<b>Production site</b>	Yung Li Co Ltd Da Pu Industrial Zone Gangzi Chang Ping Town Dongguan, 523571 Guangdong China
<b>Certified Product Model</b>	Non-rewirable, Two-pole plug with dual earthing contacts YP-23
<b>Trademark</b>	YUNG LI
<b>Rated Voltage / Frequency</b>	250 V ~
<b>Rated Current / Power</b>	16 A
<b>Insulation Class</b>	-
<b>Degree of protection (IP)</b>	20
<b>Tested acc. to</b>	DS 60884-2-D1:2017
<b>Test Report No.</b>	4788152174 issued on 2017-11-14
<b>Additional</b>	See Page 2
<b>Expire date</b>	2026-06-12

---

**Certification Manager**  
Jan-Erik Storgaard

This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the D Mark Requirements. The Designated Certificate holder is entitled to use the d or for cables <DEMKO> for the Certified Product manufactured at the production site(s) identified above, in accordance with the D Mark Service Agreement, including without limitation the D Mark Testing and Certification Services Service Terms. Only those Products bearing the D Mark should be considered as being covered by UL's D Mark Service. This Certificate shall remain valid through the expiration date, unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this Certificate is amended or withdrawn prior the expiration date.

**Certification Body**

UL International Demko A/S, Borupvang 5A, DK-2750  
Ballerup, Denmark, Tel. +45 44 85 65 65,  
info.dk@ul.com  
www.ul-europe.com



# Appendix DEMKO CERTIFICATE

**Certificate No.** D-06216  
**Page** 2/3  
**Date of Issue** 2017-11-14

External Certification Information:  
CB Certificate FI 9309 issued on 2016-06-13 by SGS Fimko Ltd.

Additional Information:  
For class I equipment  
Standard Sheet:  
C4 (DS 60884-2-D1)  
VII (CEE 7)

Flexible Cord:  
YP-23 with H03VV-F 3G0.75 mm<sup>2</sup>  
YP-23 with H05VV-F 3G0.75-1.0-1.5 mm<sup>2</sup>  
YP-23 with H03V2V2-F 3G0.75 mm<sup>2</sup>  
YP-23 with H05V2V2-F 3G0.75-1.0-1.5 mm<sup>2</sup>  
YP-23 with H05RN-F 3G0.75-1.0 mm<sup>2</sup>

This Certificate replaces earlier issued Demko Certificate No. D-05357.

---


**Certification Body**

UL International Demko A/S, Borupvang 5A, DK-2750  
Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com  
[www.ul-europe.com](http://www.ul-europe.com)



# Appendix DEMKO CERTIFICATE

Certificate No. D-06216  
Page 3/3  
Date of Issue 2017-11-14



---

**Certification Body**

UL International Demko A/S, Borupvang 5A, DK-2750  
Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com  
[www.ul-europe.com](http://www.ul-europe.com)





# CERTIFICATE

## FOR EUROPEAN PRODUCT SAFETY

Reference No. SE-S-2100173R1

### Plug, non rewirable

**Type designation:** YP-23

**Certificate holder:** YUNG LI CO. LTD.  
DA PU Industrial Zone  
Gangzi Chang Ping Town  
523571 Guangdong  
CHINA

**The product complies with the standard(s):** IEC 60884-1:2002+A1+A2  
SS 428 08 34:2013+R1+T1  
SFS 5610:2015+A11

**Date of expiry:** 02 February, 2026

Additional information in Appendix

**Certification Body:** Intertek Semko AB, Product Certification **Place:** Kista - Stockholm

**Signed:**

Leif Mattsson

**Date:** 05 May, 2021

## APPENDIX:

Reference No. SE-S-2100173R1

### Technical Data:

Type designation	YP-23
Rated voltage (V)	250V~
Rated current (A)	16A
IP-Class	IP20
Type of cord	H03V2V2-F 3G0,75mm2, H03VV-F 3G0,75mm2, H05V2V2-F 3G0,75-1,5mm2, H05VV-F 3G0,75-1,5mm2,H05RN-F 3G0,75-1,0mm2
Standard sheet	VII
Trademark	YUNG-LI
Test Report	2103010STO-001
Product information	Plug, non-rewirable for class I equipment, 2P+E with dual earthing contact. With straight cord entry.

### Manufacturing Sites:

YUNG LI CO. LTD.  
DA PU Industrial Zone  
Gangzi Chang Ping Town  
523571 Guangdong  
CHINA

If the product is to be marketed in different European countries, it must be provided with a certified plug appropriate for each country.

The instruction for use shall be written in a language acceptable according to the national regulation in the country where the product is to be used.

This certificate is based on Ref. no. FI 9309 dated 13 June 2016, issued by SGS Fimko Ltd.

This certificate replaces previously issued S-certificate with ref. No. SE-S-2100173 dated 2 February 2021. A new certificate has been issued on account of adding the Finnish national standard.

### Certification Body:

Intertek Semko AB, Product Certification

Place: Kista - Stockholm

### Signed:



Date: 05 May, 2021

Leif Mattsson

# CERTIFICATE

Issued to:  
Applicant:  
**Yung Li Co., Ltd.**  
Da Pu Industrial Zone, Chang Ping Town  
523571 Dongguan City, China

Manufacturer/Licensee:  
**Yung Li Co., Ltd.**  
Da Pu Industrial Zone, Chang Ping Town  
523571 Dongguan City, China

Product(s) : plug, (2-pole)  
Trade name(s) : YUNG-LI  
Type(s)/model(s) : YP-23

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

- DEKRA hereby declares that the above-mentioned product has been certified on the basis of
- a type test according to the standard IEC 60884-1:2002 +A1:2006 + A2:2013 and NEN 1020:1987 + A2:2004;
  - an inspection of the production location according to CENELEC Operational Document CIG 021
  - a certification agreement with the number 2078870

DEKRA hereby grants the right to use the KEMA-KEUR certification mark.

The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration of the KEMA-KEUR certification agreement and under the conditions of the KEMA-KEUR certification agreement.


This certificate is issued on 30 August 2013 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 2164611.01

DEKRA Certification B.V.



drs. G.J. Zoetbrood  
Managing Director



H.R.M. Barends  
Certification Manager

© Integral publication of this certificate is allowed

ACCREDITED BY  
THE DUTCH COUNCIL  
FOR ACCREDITATION



# CERTIFICATE FI/41062

Our Ref. HEL-CERT210500499-01



**Product** Plug, non-rewirable

**Type** YP-23, with cord H03V2V2-F 3G0,75  
YP-23, with cord H03VV-F 3G0,75  
YP-23, with cord H05V2V2-F 3G0,75-1-1,5  
YP-23, with cord H05VV-F 3G0,75-1-1,5  
YP-23, with cord H05RN-F 3G0,75-1

**Trademark** YUNG-LI

**Certificate Holder** Yung Li Co., Ltd.  
Da Pu Industrial Zone, Gangzi Chang Ping Town, Dongguan, 523571, Guangdong, China

**Technical information** 16 A, 250 V~, IP20

**Other information** Standard sheet VII  
With straight cord entry

**The product is certified according to the following standard(s)** IEC 60884-1:2002 + A1:2006 + A2:2013  
SFS 5610:2015 + A11:2016

**Validity** This certificate is valid until 2026-05-18 provided that the Conditions for FI certification are met. This certificate includes the right to use the FI mark under the condition that changes (if any) will be checked at SGS Fimko before the product is brought onto market and that the conditions for FI certification are met.

**Date of issue** 2021-05-18

**SGS Fimko Ltd**

**Signature**

  
Joonas Leinonen  
Certification Manager



**Manufacturer** Yung Li Co., Ltd.  
Da Pu Industrial Zone, Gangzi Chang Ping Town, Dongguan, 523571,  
Guangdong, China

**Manufacturing site** Same as manufacturer

**Additional information** The product has certificate SE-S-2100173R1 issued by Intertek Semko  
AB in accordance with the Nordic Certification Service system.  
This certificate replaces previous certificate NCS/FI 29582, dated 2016-  
06-13, due to renewal of the certificate.

**As shown in the Test Report(s) No(s):** 2103010STO-001

# LICENCE

No. 18294 replaces No.13085

Issued to:  
Applicant:  
**Yung Li Co. Ltd.**  
1F, No.10, Lane 235,  
Pao-Chiao Road  
Hsin-Tien, New Taipei, Taiwan

Licensee:  
**Yung Li Co. Ltd.**  
1F, No.10, Lane 235,  
Pao-Chiao Road  
Hsin-Tien, New Taipei, Taiwan



Product : plugs (2-pole) for household purposes  
Trade name(s) : YUNG-LI  
Type(s)/model(s) : YP-23

The product and any acceptable variation thereto is specified in the annex to this licence and the documents therein referred to.

SGS CEBEC hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard specified in annex
- an inspection of the production location
- a certification agreement with the number 1031


SGS CEBEC hereby grants the right to use the CEBEC certification mark

The CEBEC certification mark may be applied to the product as specified in this licence for the duration of the CEBEC certification agreement and under the conditions of the CEBEC certification agreement.

This licence is issued on: 03/04/2013

ir. C. Lana,  
Certification Manager

© Only integral publication of this certificate, including the annex, is allowed  
This certificate is only valid combined with the publication on the following web address: [www.sgs.com/ee](http://www.sgs.com/ee)



## SPECIFICATION OF THE CERTIFIED PRODUCT

### Product data

Product	:	plugs (2-pole) for household purposes
Trade name(s)	:	YUNG-LI
Type(s)/Model(s)	:	YP-23
rated current (In)	:	16 A
rated voltage (Un)	:	250 Vac
earthing design	:	with dual earthing system
class	:	for class I appliances
standard sheet	:	VII of CEE7
applied flexible cord(s)	:	H03 VV-F 3 G 0.75 mm <sup>2</sup> H05 VV-F 3 G 0.75-1.5 mm <sup>2</sup> H03V2V2-F 3 G 0,75 mm <sup>2</sup> H05V2V2-F 3 G 0,75-1.5 mm <sup>2</sup>
cord(s) termination	:	crimped connection
description	:	body of thermoplastic material
certification mark	:	complies with the requirements
markings	:	are shown on the body

### Additional information

Insert: PBT 4115, Chang Chun  
Moulding: PVC Flex 60 O, Pure Friend

## TESTS

### Test requirements

NBN C 61-112-1 based on IEC 60884-1:2002 + A1:2006

### Test results

The test results are laid down in certification file ref.596814/01

**Remarks**

This certificate is based on certificate ref. CB SE-71544 and test report(s) ref. 1218960-1


**Conclusion**

The examination proved that all test requirements were met.

Checked by, project leader : Zanutto Luigi - 03/04/2013

Department Manager,  
Product Certification :

Certification Manager :



*Zanutto* 2013-04-03

**FACTORY LOCATION(S)**

Yung Li Co., Ltd.  
Da Pu Industrial Zone, GanZi  
Chang Ping Town, Dong Guan City  
523571 Guang Dong Province  
China

PID:  
02113100  
CID:  
C.1996.5269

## Certificato di approvazione

### Approval certificate

**IMQ, ente di certificazione accreditato, autorizza la ditta** *IMQ, accredited certification body, grants to*

**YUNG LI CO., LTD.**  
**DA PU IND. ZONE, GangZi, CHANG PING TOWN**  
**DONG GUAN CITY, GUANG DONG PROV.**  
**CN - China**

**all'uso del marchio**

*the licence to use the mark*

**IMQ**

Il presente certificato è soggetto alle condizioni previste nel "Regolamento IMQ - Certificazione prodotto" ed è relativo ai prodotti descritti nell'Allegato al presente certificato.



**per i seguenti prodotti**

*for the following products*

**Spine indissolubilmente  
collegate al cavo  
( Rif. di tipo YP-23 )**

*Non-rewirable plugs  
( Type ref. YP-23 )*

*This certificate is subjected to the conditions foreseen by "IMQ Rules - Product Certification" and is relevant to the products listed in the annex to this certificate.*

Emesso il | Issued on **2003-06-25**  
Aggiornato il | Updated on **2011-09-21**  
Sostituisce | Replaces **2008-08-05**

  
**IMQ S.p.A.**

**Allegato - Certificato di approvazione**  
**Annex - Approval certificate**

Emesso il / Issued on 2003-06-25  
Aggiornato il / Updated on 2011-09-21  
Sostituisce / Replaces 2008-08-05

## Prodotto | Product

# Spine indissolubilmente collegate al cavo Non-rewirable plugs

## Concessionario | Licence Holder

**YUNG LI CO., LTD.**  
**DA PU IND. ZONE, GangZi, CHANG PING TOWN**  
**DONG GUAN CITY, GUANG DONG PROV.**  
**CN - China**

## Marchio | Mark



IMQ

## Costruito a | Manufactured at

PI.B000M3 C01175219

DONG GUAN CITY, GUANG DONG PROV.

China

Copia del presente certificato deve essere conservata presso i luoghi di produzione sopra elencati.

Copy of this certificate must be available at the manufacturing places listed above

## Norme

CEI 23-50 - II Ed. 2007 + V1:2008

## Standards

CEI 23-50 - II Ed. 2007 + V1:2008

## Rapporti | Test Reports

26LL00073

## Caratteristiche tecniche | Technical characteristics

Designazione | Type designation **2P+T+T S31 / 2P+E+E S31**  
Tensione nominale | Rated voltage **250 V**  
Corrente nominale | Rated current **16 A**  
Grado di protezione | Degree of protection (IP) **IP20**  
Tipo di morsetti | Type of terminals **morsetti aggraffati / crimped connections**  
Materiale della custodia | Material of the cover **termoplastico / thermoplastic**  
Uscita cavo | Cable exit **assiale / straight**

## Articoli (con dettagli) | Articles (with details)

AR.D006AZ

Marca | Trade mark **YUNG LI**  
Riferimento di tipo | Type reference **YP-23**  
Articolo/Riferimento a catalogo | Article/Catalogue reference **YP-23**  
Tipo di cavo | Type of cable **H03VV-F**  
Sezione nominale | Section areas **3G0,75 mm<sup>2</sup>**

AR.D006B0

Marca | Trade mark **YUNG LI**  
Riferimento di tipo | Type reference **YP-23**  
Articolo/Riferimento a catalogo | Article/Catalogue reference **YP-23**  
Tipo di cavo | Type of cable **H05VV-F**  
Sezione nominale | Section areas **3G0,75 mm<sup>2</sup>**

AR.D006B1

Marca | Trade mark **YUNG LI**  
Riferimento di tipo | Type reference **YP-23**

Articolo/Riferimento a catalogo | Article/Catalogue reference **YP-23**  
Tipo di cavo | Type of cable **H05VV-F**  
Sezione nominale | Section areas **3G1 mm<sup>2</sup>**

SN.D0009N.1

Marca | Trade mark **YUNG LI**  
Riferimento di tipo | Type reference **YP-23**  
Articolo/Riferimento a catalogo | Article/Catalogue reference **YP-23**  
Tipo di cavo | Type of cable **H05VV-F**  
Sezione nominale | Section areas **3G1,5 mm<sup>2</sup>**

## Ulteriori informazioni | Additional Information

La spina rif. di tipo YP-23 è prodotta col seguente inserto:  
marca: GEM ; art.: P98651.

The non-rewirable plug type ref. YP-23 is manufactured with the following insert:  
trade mark: GEM; art.: P98651.

## Componenti | Component List

### Rif. di tipo/Type ref. YP-23

Tipo   Type	(*)	Costruttore   Manufacturer	Riferimento   Type Ref.	Dati   Data	Norme   Standard (*)	Marchi   Marks
Cavo / Cable	2/4	YUNG LI CO. LTD.	YUNG LI	H03VV-F 3G0,75mm <sup>2</sup>	-	IMQ
Cavo / Cable	2/4	YUNG LI		H03VV-F	-	IMQ
Cavo / Cable	2/4	YUNG LI		H05VV-F	-	IMQ
Cavo / Cable	2/4	YUNG LI CO. LTD.	YUNG LI	H05VV-F 3G0,75 - 1 - 1,5mm <sup>2</sup>	-	IMQ

Emesso il | Issued on **2011-09-21**

Data di aggiornamento | Updated on

Sostituisce | Replaces

Ciascun componente è contraddistinto da un numero avente il seguente significato:

- 1 - Componente marchiato e sostituibile con altro pure marchiato con caratteristiche equivalenti
- 2 - Componente sostituibile solo previa autorizzazione dell'IMQ
- 3 - Componente (integrato nell'apparecchio utilizzatore) provato congiuntamente all'apparecchio utilizzatore
- 4 - Componente in alternativa
- 5 - Componente per uso opzionale
- 6 - Componente da abbinare

Each component is signed by a number having the following meaning:

- 1 - Approved component replaceable with another one also approved with equivalent characteristics
- 2 - Component replaceable with IMQ authorization only
- 3 - Integrated component tested together with appliances
- 4 - Alternative component
- 5 - Component for optional use
- 6 - Component to be matched

(\*) Queste colonne sono compilate a cura di IMQ / These columns are filled in by IMQ

## Diritti di concessione | Annual Fees

SN.D0009N

BTL.021100.DA19

Diritti modelli IMQ - 0211 - Prese, spine e connettori di uso domestico | IMQ models - 0211 - Plugs and appliance couplers for domestic purposes

1



**IMQ S.p.A.**



## СЕРТИФИКАТ СООТВЕТСТВИЯ



№ ЕАЭС KG417/026.CN.02.14093

Серия KG № 0146999

**ОРГАН ПО СЕРТИФИКАЦИИ** ОсОО "ЦЕНТР СЕРТИФИКАЦИИ И ИСПЫТАНИЙ", место нахождения: 720000, Кыргызская Республика, г.Бишкек, Ленинский район, проспект Чуй, д.164 А, офис №505, 205, 207; адрес места осуществления деятельности: 720000, Кыргызская Республика, г.Бишкек, Ленинский район, проспект Чуй, д.164 А, офис №205, 207, регистрационный номер аттестата аккредитации № KG 417/КЦА.ОСП.026, дата регистрации 19 мая 2022 года, номер телефона: +996 990 588999, адрес электронной почты: certtestkg@gmail.com

**ЗАЯВИТЕЛЬ** Общество с ограниченной ответственностью "НОРД СЕРВИС". Место нахождения и адрес места осуществления деятельности: 109428, город Москва, внутригородская территория города, муниципальный округ Рязанский, проспект Рязанский, дом 10, строение 18, Российская Федерация. Основной государственный регистрационный номер: 1117746930333. Телефон: +7 495 9025098, адрес электронной почты: moscow.nord.service@gmail.com.

**ИЗГОТОВИТЕЛЬ** "YUNG LI CO., LTD". Место нахождения и адрес места осуществления деятельности по изготовлению продукции: 523571, No. 32, Dapu Industrial St.Changping Town, Dongguan City, Guangdong Province, Китай.

**ПРОДУКЦИЯ** Изделия электроустановочные: неразъемные штепсели, модели: YP-21A(2,5A 250V~), YP-22 (16A 250V~) , YP-23 (16A 250V~) , YP-24 (16A 250V~). Серийный выпуск.

Код ТН ВЭД ЕАЭС 8536 69 900 8

**СООТВЕТСТВУЕТ ТРЕБОВАНИЯМ** Технического регламента Таможенного союза ТР ТС 004/2011 "О безопасности низковольтного оборудования".

**СЕРТИФИКАТ ВЫДАН НА ОСНОВАНИИ** Протокола испытаний № Н-Т/080724-26 от 08.07.2024 года, выданного ИЦ ТОО «KAZAUTOCERT» аттестат аккредитации регистрационный номер KZ.T.02.2385. Акта анализа состояния производства № 050324-19 от 11.06.2024 года выданного Органом по сертификации продукции ОсОО "Центр Сертификации и Испытаний" (Регистрационный номер аттестата аккредитации органа по сертификации KG 417/КЦА.ОСП.026), подписанного экспертом Брылевой Татьяной Владимировной. Схема сертификации: 1с.

**ДОПОЛНИТЕЛЬНАЯ ИНФОРМАЦИЯ** ГОСТ 30988.1-2020 "Соединители электрические штепсельные бытового и аналогичного назначения. Часть 1. Общие требования и методы испытаний"; ГОСТ IEC 60884-2-7-2016 "Соединители электрические штепсельные бытового и аналогичного назначения. Часть 2-7. Дополнительные требования к комплектам удлинительных шнуров" Условия хранения и срок службы указаны в прилагаемой к продукции эксплуатационной документации. Договор уполномоченного лица № TJ240627/S-D064 от 27.03.2024 года. Действие сертификата соответствия распространяется на серийно выпускаемую продукцию, изготовленную с даты изготовления отобранных образцов (проб) продукции, прошедших исследования (испытания) и измерения: 06.2024 г.

СРОК ДЕЙСТВИЯ С 09.07.2024

ПО 08.07.2029

Руководитель (уполномоченное лицо) органа по сертификации

Эксперт (эксперт-аудитор)  
(эксперты (эксперты-аудиторы))



Аксулова Айсулу Мырзабековна

(Ф.И.О.)

Турчак Олег Вадимович

(Ф.И.О.)

## ZEICHENGENEHMIGUNG MARKS APPROVAL

Yung Li Co. Ltd.  
No. 32 Dapu Industrial St., Changping Town  
523571 Dongguan City  
Guangdong  
China

ist berechtigt, für ihr Produkt /  
*is authorized to use for their product*

**Gerätesteckdose, nicht-wiederanschließbar**  
**Connector, non-rewirable**

die hier abgebildeten markenrechtlich geschützten Zeichen  
für die ab Blatt 2 aufgeführten Typen zu benutzen /  
*the legally protected Marks as shown below for the types referred to on page 2 ff.*



oder/or



Geprüft und zertifiziert nach /  
*Tested and certified according to*

DIN EN IEC 60320-1 (VDE 0625-1):2023-06; EN IEC 60320-1:2021

Das Produkt erfüllt auch die Anforderungen nach /  
*The product also fulfills the requirements of*

IEC 60320-1:2021



Aktenzeichen: 1609800-1550-0006 / 318542

File ref.:

Ausweis-Nr. 40029893

Blatt 1

Certificate No.

Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /  
*further conditions see overleaf and following pages*

Offenbach, 2010-04-21

(letzte Änderung / updated 2025-08-05 )

VDE Prüf- und Zertifizierungsinstitut GmbH  
VDE Testing and Certification Institute  
Zertifizierungsstelle / Certification

T. Baumann

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:  
VDE certificates are valid only when published on:

<http://www.vde.com/zertifikat>  
<http://www.vde.com/certificate>

Name und Sitz des Genehmigungs-Inhabers / Name and registered seat of the Certificate holder

Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / File ref.

1609800-1550-0006 / 318542 / TL3 / RHZ

letzte Änderung / updated

2025-08-05

Datum / Date

2010-04-21

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029893.

*This supplement is only valid in conjunction with page 1 of the Certificate No. 40029893.*

## Gerätesteckdose, nicht-wiederanschließbar Connector, non-rewirable

Typ(en) / Type(s)

- 1) YC-14
- 2) YC-14L

Bemessungsspannung  
Rated voltage

AC 250 V

Bemessungsstrom  
Rated current

2,5 A

Polzahl  
Number of poles

2-polig mit Schutzkontakt  
2-pole with earthing contact

Bauart  
Kind of construction

Normblatt C5  
standard sheet C5

Ausführung(en)  
Construction(s)

zentrale Leitungseinführung  
straight cable entry  
Für / for 1)

abgewinkelte Leitungseinführung  
angled cable entry  
Für / for 2)

Anmerkung(en)

Gerätesteckdosen 2,5 A mit Schutzkontakt müssen Teil einer Geräteanschlußleitung oder einer Weiterverbindungs-Geräteanschlußleitung sein.

Remark(s)

*Connectors 2,5 A with earthing contact shall be part of a cord set or interconnection cord set.*

Fortsetzung siehe Blatt 3 /  
continued on page 3

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-1550-0006 / 318542 / TL3 / RHZ

letzte Änderung / *updated*

2025-08-05

Datum / *Date*

2010-04-21

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029893.

*This supplement is only valid in conjunction with page 1 of the Certificate No. 40029893.*

Warenzeicheninhaber  
*Trademark holder*

Yung Li Co. Ltd.

Produktinformation  
*Product information*

siehe Anlagen Nr. 300 + 700 + 900 vom 2025-08-05  
*see Appendix No. 300 + 700 + 900 dated 2025-08-05*

Das Produkt entspricht nach Art und Umfang der durchgeführten Prüfungen den Anforderungen der zuvor genannten Normen. Insofern bildet dieser Zeichengenehmigungsausweis eine Grundlage für die EU-Konformitätserklärung und CE-Kennzeichnung durch den Hersteller oder dessen Bevollmächtigten. Es liegt in der Verantwortung des Herstellers oder seines Bevollmächtigten sicherzustellen, dass das Produkt zusätzlichen regulatorischen Anforderungen entspricht.

*To the extent of the type and the scope of the tests performed, the product meets the requirements of the standards stated above. In this respect, this Marks Approval provides one of the basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his authorised representative. It is the responsibility of the manufacturer or his authorised representative to ensure that the product complies with any additional regulatory requirements.*

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-1550-0006 / 318542 / TL3 / RHZ

letzte Änderung / *updated*

2025-08-05

Datum / *Date*

2010-04-21

Dieses Beiblatt ist Bestandteil des Zeichengenehmigungsausweises Nr. 40029893.

*This supplement is part of the Certificate No. 40029893.*

## Gerätesteckdose, nicht-wiederanschließbar *Connector, non-rewirable*

### Fertigungsstätte(n)

### *Place(s) of manufacture*

Referenz/*Reference*  
**30008928**

Yung Li Co. Ltd.  
No. 32 Dapu Industrial St., Changping Town  
523571 DONGGUAN CITY  
Guangdong  
CHINA

Name und Sitz des Genehmigungs-Inhabers / Name and registered seat of the Certificate holder

Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / File ref.

1609800-1550-0006 / 318542 / TL3 / RHZ

letzte Änderung / updated

2025-08-05

Datum / Date

2010-04-21

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029893.

*This supplement is only valid in conjunction with page 1 of the Certificate No. 40029893.*

## **Genehmigung zum Benutzen des auf Seite 1 abgebildeten markenrechtlich geschützten Zeichens des VDE:**

Grundlage für die Benutzung sind die Allgemeinen Geschäftsbedingungen (AGB) der VDE Prüf- und Zertifizierungsinstitut GmbH ([www.vde.com\AGB-Institut](http://www.vde.com\AGB-Institut)). Das Recht zur Benutzung erstreckt sich nur auf die bezeichnete Firma mit den genannten Fertigungsstätten und die oben aufgeführten Produkte mit den zugeordneten Bezeichnungen. Die Fertigungsstätte muss so eingerichtet sein, dass eine gleichmäßige Herstellung der geprüften und zertifizierten Ausführung gewährleistet ist.

Die Genehmigung ist so lange gültig wie die VDE Bestimmungen gelten, die der Zertifizierung zugrunde gelegen haben, sofern sie nicht auf Grund anderer Bedingungen aus der VDE Prüf- und Zertifizierungsordnung (PM102) zurückgezogen werden muss.

Der Gültigkeitszeitraum einer VDE GS-Zeichengenehmigung kann auf Antrag verlängert werden. Bei gesetzlichen und / oder normativen Änderungen kann die VDE GS-Zeichengenehmigung ihre Gültigkeit zu einem früheren als dem angegebenen Datum verlieren.

Produkte, die das Biozid Dimethylfumarat (DMF) enthalten, dürfen gemäß der Kommissionsentscheidung 2009/251/EG nicht mehr in den Verkehr gebracht oder auf dem Markt bereitgestellt werden.

Der VDE Zeichengenehmigungsausweis wird ausschließlich auf der ersten Seite unterzeichnet.

### **Approval to use the legally protected Mark of the VDE as shown on the first page:**

*Basis for the use are the general terms and conditions of the VDE Testing and Certification Institute ([www.vde.com\terms-institute](http://www.vde.com\terms-institute)). The right to use the mark is granted only to the mentioned company with the named places of manufacture and the listed products with the related type references. The place of manufacture shall be equipped in a way that a constant manufacturing of the certified construction is assured.*

*The approval is valid as long as the VDE specifications are in force, on which the certification is based on, unless it is withdrawn according to the VDE Testing and Certification Procedure (PM102E).*

*The validity period of a VDE GS-Mark Approval may be prolonged on request. In case of changes in legal and / or normative requirements, the validity period of a VDE GS-Mark Approval may be shortened.*

*Products containing the biocide dimethylfumarate (DMF) may not be marketed or made available on the EC market according to the Commission Decision 2009/251/EC.*

*The approval is solely signed on the first page.*



# CERTIFICATE OF APPROVAL

ISSUED PURSUANT TO SECTION 21C OF THE ELECTRICITY SAFETY ACT 1945

ISSUED TO:

Yung Li Co Ltd

CLASS OF ARTICLE:

Appliance Connector

DESCRIPTION OF ARTICLE:

Appliance Connector  
(Non-rewirable, thermoplastic moulded, straight-entry, C5 appliance connector for cold conditions, for class I equipment, integrally moulded to any <HAR> certified H05VV-F 3G0.75-1mm<sup>2</sup>, or Australian approved three-core 0.75mm<sup>2</sup> or 1.00mm<sup>2</sup>, PVC insulated and sheathed ordinary duty circular flexible cord) 250V, ac, 2.5A

EXAMINED FOR COMPLIANCE WITH: AS/NZS 3109 : 1996 A1

TYPE REFERENCE CODE: Type No. YC-14

APPROVAL MARK:

Each electrical article of the abovementioned type shall be marked with Approval Number N18720

DATE OF APPROVAL: 23 August 2002

This approval expires 23 August 2007 unless suspended, cancelled, renewed or extended.

for DIRECTOR-GENERAL

澳洲



Ref: 18720/1

**RENEWAL OF CERTIFICATE OF APPROVAL 18720**

**PARTICULARS OF RENEWAL**

The approval of the original model no. YC-14 has been renewed for a period of FIVE (5) years.

Date of Renewal: 23 August 2007

The Approval expires on 23 August 2012 unless it is renewed, extended, suspended or cancelled.

A handwritten signature in black ink, appearing to read "M. Hawks".

for Commissioner for Fair Trading

Ref: NSW18720/2

RENEWAL OF CERTIFICATE OF APPROVAL NSW18720

PARTICULARS OF RENEWAL

The approval of the original appliance connector model no. YC-14 has been renewed.

The Approval expires on 23/08/2017 unless it is renewed, extended, suspended or cancelled.



23.8.2012

For Commissioner for Fair Trading



Fair  
Trading

Ref: NSW18720/3

## RENEWAL OF CERTIFICATE OF APPROVAL: NSW18720

### Particulars of Renewal

The approval of the original appliance connector model no. YC-14 has been renewed.

The Approval expires on 23/08/2022 unless it is renewed, extended, suspended or cancelled.

For Commissioner for Fair Trading



Fair  
Trading

Ref: NSW18720/4

## RENEWAL OF CERTIFICATE OF APPROVAL: NSW18720

### Particulars of Renewal

The approval of the original appliance connector model no. YC-14 has been renewed.

The Approval expires on 23/08/2027 unless it is renewed, extended, suspended or cancelled.

Approved pursuant to Clause 11 (1) of the Gas and Electricity (Consumer Safety) Regulation 2018

30 May 2022

For Secretary, Department of Customer Service

## ZEICHENGENEHMIGUNG MARKS APPROVAL

Yung-Li Co. Ltd.  
Da Pu Industrial Zone, Cang Zi  
Chang Ping Town  
523571 DONG GUAN CITY  
Guangdong  
CHINA

ist berechtigt, für ihr Produkt /  
*is authorized to use for their product*

**Starkstromleitungen für allgemeine Anwendungen**  
**- Flexible Leitungen**  
**mit thermoplastischer PVC-Isolierung**  
***Cables for general applications***  
***- Flexible cables with***  
***thermoplastic PVC insulation***

die hier abgebildeten markenrechtlich geschützten Zeichen  
für die ab Blatt 2 aufgeführten Typen zu benutzen /  
*the legally protected Marks as shown below for the types referred to on page 2 ff.*

◁VDE▷ oder/or ◁▷⊠▷ oder/or  schwarz  
black rot  
red

Geprüft und zertifiziert nach /  
*Tested and certified according to*

DIN EN 50525-2-11 (VDE 0285-525-2-11):2012-01; EN 50525-2-11:2011



Aktenzeichen: 1609800-5140-0005 / 211124

File ref.:

Ausweis-Nr. 40010145

Blatt 1

Certificate No.


Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /  
*further conditions see overleaf and following pages*

Offenbach, 2004-04-27

(letzte Änderung / updated 2015-05-26 )

VDE Prüf- und Zertifizierungsinstitut GmbH  
VDE Testing and Certification Institute  
Zertifizierungsstelle / Certification



M. Tasotti

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:  
VDE certificates are valid only when published on:

<http://www.vde.com/zertifikat>  
<http://www.vde.com/certificate>

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung-Li Co. Ltd., Da Pu Industrial Zone, Cang Zi, Chang Ping Town, 523571 DONG GUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-5140-0005 / 211124 / CC5 / HEG

letzte Änderung / *updated*

2015-05-26

Datum / *Date*

2004-04-27

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40010145.

*This supplement is only valid in conjunction with page 1 of the Certificate No. 40010145.*

## Starkstromleitungen für allgemeine Anwendungen - Flexible Leitungen mit thermoplastischer PVC-Isolierung *Cables for general applications - Flexible cables with thermoplastic PVC insulation*

Typ(en) / *Type(s)*

H03VV-F 2...4 x 0,5...0,75 mm <sup>2</sup>	+
H03VVH2-F 2 x 0,5...0,75 mm <sup>2</sup>	+
H05VV-F 2...5 x 0,75...4 mm <sup>2</sup>	+
H05VVH2-F 2 x 0,75...1,0 mm <sup>2</sup>	+

Leitungsbauart  
*Type of cable*

Standardleitungen  
*General purpose cables*

Firmenzeichen  
*Trademark*

Yung Li Co., Ltd.

Dieser Zeichengenehmigungs-Ausweis bildet eine Grundlage für die EG-Konformitätserklärung und CE-Kennzeichnung durch den Hersteller oder dessen Bevollmächtigten und bescheinigt die Konformität mit den grundlegenden Schutzanforderungen der **EG-Niederspannungsrichtlinie 2006/95/EG** mit ihren Änderungen.

*This Marks Approval is a basis for the EC Declaration of Conformity and the CE Marking by the manufacturer or his agent and proves the conformity with the essential safety requirements of the **EC Low-Voltage Directive 2006/95/EC** including amendments.*

VDE Prüf- und Zertifizierungsinstitut GmbH  
*VDE Testing and Certification Institute*  
Fachgebiet CC5  
*Section CC5*

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung-Li Co. Ltd., Da Pu Industrial Zone, Cang Zi, Chang Ping Town, 523571 DONG GUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-5140-0005 / 211124 / CC5 / HEG

letzte Änderung / *updated*

2015-05-26

Datum / *Date*

2004-04-27

Dieses Beiblatt ist Bestandteil des Zeichengenehmigungsausweises Nr. 40010145.

*This supplement is part of the Certificate No. 40010145.*

**Starkstromleitungen für allgemeine Anwendungen**  
**- Flexible Leitungen**  
**mit thermoplastischer PVC-Isolierung**  
***Cables for general applications***  
**- Flexible cables with**  
***thermoplastic PVC insulation***

**Fertigungsstätte(n)**

***Place(s) of manufacture***

Referenz/*Reference*  
**30008928**

Yung-Li Co. Ltd.  
Da Pu Industrial Zone, Cang Zi  
Chang Ping Town  
523571 DONG GUAN CITY  
Guangdong  
CHINA

VDE Prüf- und Zertifizierungsinstitut GmbH  
*VDE Testing and Certification Institute*  
Fachgebiet CC5  
*Section CC5*

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung-Li Co. Ltd., Da Pu Industrial Zone, Cang Zi, Chang Ping Town, 523571 DONG GUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-5140-0005 / 211124 / CC5 / HEG

letzte Änderung / *updated*

2015-05-26

Datum / *Date*

2004-04-27

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40010145.

*This supplement is only valid in conjunction with page 1 of the Certificate No. 40010145.*

## **Genehmigung zum Benutzen des auf Seite 1 abgebildeten markenrechtlich geschützten Zeichens des VDE:**

Grundlage für die Benutzung sind die Allgemeinen Geschäftsbedingungen (AGB) der VDE Prüf- und Zertifizierungsinstitut GmbH ([www.vde.com\AGB-Institut](http://www.vde.com\AGB-Institut)). Das Recht zur Benutzung erstreckt sich nur auf die bezeichnete Firma mit den genannten Fertigungsstätten und die oben aufgeführten Produkte mit den zugeordneten Bezeichnungen. Die Fertigungsstätte muss so eingerichtet sein, dass eine gleichmäßige Herstellung der geprüften und zertifizierten Ausführung gewährleistet ist.

Die Genehmigung ist so lange gültig wie die VDE-Bestimmungen gelten, die der Zertifizierung zugrunde gelegen haben, sofern sie nicht auf Grund anderer Bedingungen aus der VDE Prüf- und Zertifizierungsordnung (PM102) zurückgezogen werden muss.

Der Gültigkeitszeitraum einer VDE-GS-Zeichengenehmigung kann auf Antrag verlängert werden. Bei gesetzlichen und / oder normativen Änderungen kann die VDE-GS-Zeichengenehmigung ihre Gültigkeit zu einem früheren als dem angegebenen Datum verlieren.

Produkte, die das Biozid Dimethylfumarat (DMF) enthalten, dürfen gemäß der Kommissionsentscheidung 2009/251/EG nicht mehr in den Verkehr gebracht oder auf dem Markt bereitgestellt werden.

Der VDE-Zeichengenehmigungsausweis wird ausschließlich auf der ersten Seite unterzeichnet.

### **Approval to use the legally protected Mark of the VDE as shown on the first page:**

*Basis for the use are the general terms and conditions of the VDE Testing and Certification Institute ([www.vde.com\terms-institute](http://www.vde.com\terms-institute)). The right to use the mark is granted only to the mentioned company with the named places of manufacture and the listed products with the related type references. The place of manufacture shall be equipped in a way that a constant manufacturing of the certified construction is assured.*

*The approval is valid as long as the VDE specifications are in force, on which the certification is based on, unless it is withdrawn according to the VDE Testing and Certification Procedure (PM102E).*

*The validity period of a VDE-GS-Mark Approval may be prolonged on request. In case of changes in legal and / or normative requirements, the validity period of a VDE-GS-Mark Approval may be shortened.*

*Products containing the biocide dimethylfumarate (DMF) may not be marketed or made available on the EC market according to the Commission Decision 2009/251/EC.*

*The approval is solely signed on the first page.*