# 東莞永力電業有限公司

## YUNG LI CO., LTD

**No.32,Dapu Industrial St.,,GangZi,Chang Ping Town,**
**DongGuan City,GuangDong Province,China 523571**

**TEL:0769-83396797~8** **FAX:0769-83396796**
**E-mail: sales@yung-li.com**


Description: YP-35/YC-12

Customer: MAG

Parts No.: CB-N-AUS-3M

Draw No.:

## *REVISION RECORD*


| | | |
|---|---|---|
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |

| YUNG LI | |
|---|---|
| CHECKED | PREPARED BY |
| | |


| CUSTOMER | APPROVED |
|---|---|
| | |


NSW17967

NSW22012




外箱標籤:每箱貼一張





| NO. | SPECIFICATION | QTY | REMARK |
|---|---|---|---|
| 1 | H05VV-F 1.0/3C BLACK | 1PC | |
| 2 | YP-35 PVC PLASTIC:50P BLACK | 32g/PC | |
| 3 | YP-35 INNER BODY WHITE | 1PC | |
| 4 | SAA TER:P97658BS-1 | 2PCS | |
| 5 | SAA TER:98658BS-1 | 1PC | |
| 6 | SLEEVE:3PIN WHITE | 1PC | |
| 7 | YC-12 PVC PLASTIC:50P BLACK | 18g/PC | |
| 8 | "U"TER:97740BS-0 | 3PCS | |
| 9 | YC-12 INNER BODY | 1PC | |
| 10 | MINI TIE:L=180mm BLACK | 1PC | |
| 11 | LABEL:50X30mm 128Code | 1PC | Label-7770 |
| 12 | BOX LABEL:60X60mm | 1PC | 包裝打印 |


TOLERANCE
>0±0.30
>1.0±0.50
>10.0±1.0
>20.0±2.0
Angle:
±1°

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| APPROVED | | DATE | | YUNG LI CO.,LTD | | | |
| CHECKED | | DATE | | | | | |
| DRAWN | SUKI | DATE | 24.12.19 | CUSTOMER | MAG | | |
| TYPE | YP-35/YC-12 | | | P/N | CB-N-AUS-3M | | |
| DRAWING NO. | CY-S0145-02 | REV | B | MATERIAL | P.V.C | UNIT | mm |
| | | | | HEFT(g) | | | |


認證號:

NSW17967




| | | | | | |
|---|---|---|---|---|---|
| TOLERANCE<br>>0±0.30<br>>1.0±0.50<br>>10.0±1.0<br>>20.0±2.0<br>Angle:<br>±1° | APPROVED | | DATE | | YUNG LI CO.,LTD. |
| | CHECKED | | DATE | | |
| | DRAWN | 陳守瑞 | DATE | 24.06.13 | |
| | TYPE | YP-35 | P/N | | |
| | | | MATERIAL | P.V.C | UNIT mm |
| | DRAWING NO | | SCALE | 1:1 | |




| | | | | | |
|---|---|---|---|---|---|
| TOLERANCE<br>>0±0.30<br>>1.0±0.50<br>>10.0±1.0<br>>20.0±2.0<br>Angle:<br>±1° | APPROVED | | DATE | | YUNG LI CO.,LTD |
| | CHECKED | | DATE | | |
| | DRAWN | | DATE | | |
| | TYPE | YC-12 (NSW) | | P/N | MAG |
| | | | | MATERIAL | P.V.C UNIT mm |
| | DRAWING NO. | | REV B | SCALE | 1:1 |

# YUNG LI CO., LTD
# SPECIFICATION

| Yung Li | Style | PVC FLEXIBLE CORDS | Document No |
|---|---|---|---|
| 2025.02.13 | | | |
| Edition | Size | **H05VV-F 3G 1.0mm$^2$** | Page |
| A | | | 1/2 |

1. Standard: IEC60227 IEC60228

2. Construction & Dimension

| Item | | Specification |
|---|---|---|
| Conductor | Size | 3G 1.0mm$^2$ |
| | Material | Annealed Bare Copper |
| | Construction | 32/ϕ 0.202±0.008 |
| Insulation | Material | PVC |
| | Minimum Average Thickness | 0.60mm |
| | Minimum Thickness at any point | 0.48mm |
| | Diameter | 2.50 ± 0.10 |
| | Identification | Blue,Brown,Green/Yellow |
| Core Assembly | Core Twist | 3-Core |
| | Filler | NA |
| | Assembly Pair | NA |
| Taping | Mylar Foil | NA |
| Shielded | A1-Mylar Foil | NA |
| Drain | Material | NA |
| | Construction | NA |
| Jacket | Material | PVC |
| | Minimum Average Thickness | 0.8mm |
| | Minimum Thickness at any point | 0.58mm |
| | Overall Diameter(Approx) | 7.0± 0.2 |
| | Color | Any color |

## Marking:


Yung Li Co., Ltd. H05VV-F 3G 1.0mm$^2$ ◁VDE▷ CE SAA-190646-EA
SU01027-4002 A004049 60227 IEC 53(RVV) 300/500V

# YUNG LI CO., LTD
# SPECIFICATION

| Yung Li | Style | PVC FLEXIBLE CORDS | Document No |
|---|---|---|---|
| 2025.02.13 | | | |
| Edition | Size | **H05VV-F 3G 1.0mm$^2$** | Page |
| A | | | 2/2 |

| 4.Electrical & Physical Properties | | | |
|---|---|---|---|
| Item | | | Specification |
| Rating Voltage | | | 70℃ 300/500V |
| Conductor resistance(AT 20℃) | | | 19.5Ω/Km MAX |
| Insulation Resistance(AT 70℃) | | | 0.010MΩ/Km Min |
| Dielectric Strength | | | AC 2.0 KV / 15 min No Brcak |
| Spark Test | | | 5.0KV |
| Insulation | Unaged | Tensile Strength | 1.02 kgf/mm$^2$ min |
| | | Elongation | 150% Min |
| | Aged | Tensile Strength | 80~120% (80℃x168hrs) |
| | | Elongation | 80~120% (80℃x168hrs) |
| | Loss of mass Test | | 2.0mg/cm$^2$ (max) |
| Jacket | Unaged | Tensile Strength | 1.02 kgf/mm$^2$ min |
| | | Elongation | 150% Min |
| | Aged | Tensile Strength | 80~120% (80℃x168hrs) |
| | | Elongation | 80~120% (80℃x168hrs) |
| | Loss of mass Test | | 2.0mg/cm$^2$ (max) |
| Deformation Test | | | 70±4℃ X 1hr ≦ 50% |
| Cold Bend Test | | | -15℃ x 4hr No Crack |
| Heat Shock Test | | | 150±2℃ x 1hr No Crack |

## Graph:



DEPARTMENT OF **FAIR TRADING**
*NSW Consumer Protection Agency*

**Certificate Number: 17967**

# CERTIFICATE OF APPROVAL

**ISSUED PURSUANT TO SECTION 21C OF THE ELECTRICITY SAFETY ACT 1945**

**ISSUED TO:**

**Yung Li Co Ltd**

**CLASS OF ARTICLE:**

**Plug**

**DESCRIPTION OF ARTICLE:**

**Plug (Insulated Pin)**
**[Non-rewirable, three-pin, flat-pin (two-insulated live pins), black thermoplastic moulded plug with a white thermoplastic insert, integrally moulded to any <HAR> certified H05VV-F 3G0.75mm², or Australian approved three-core, 0.75mm², PVC insulated and sheathed, ordinary duty circular flexible cord]**
**250V, 10A**

**EXAMINED FOR COMPLIANCE WITH: AS/NZS 3112 : 2000**

**TYPE REFERENCE CODE: Type No. YP-35**

**APPROVAL MARK:**

**Each electrical article of the abovementioned type shall be marked with Approval Number N17967 or N14876**

**DATE OF APPROVAL: 25 September 2001**
**This approval expires 25 September 2006 unless suspended, cancelled, renewed or extended.**

**for DIRECTOR-GENERAL**

Ref: N17967/1

DEPARTMENT OF **FAIR TRADING**
*NSW Consumer Protection Agency*

## ADDENDUM TO CERTIFICATE OF APPROVAL No 17967

### Particulars of Modification(s)

1. **Original Type No. YP-35 alternatively moulded to any of the following <HAR> certified or equivalent Australian approved flexible cords:-**

   (a) **H05VV-F 3G1.00mm².**
   (b) **H05VV-F 2X0.75mm².**
   (c) **H05VV-F 2X1.00mm².**
   (d) **H03VV-F 3G0.75mm².**
   (e) **H03VV-F 2X0.75mm².**
   (f) **H05VVH2-F 2X1.00mm²**
   (g) **H05VVH2-F 2X0.75mm²**

2. **Type YP-36 being similar to original Type No. YP-35 except two-pin in lieu of three-pin, and alternatively moulded to any of the following <HAR> certified or Australian approved flexible cords:-**

   (a) **H03VVH2-F 2X0.75mm².**
   (b) **H05VVH2-F 2X0.75mm².**
   (c) **H05VVH2-F 2X1.00mm².**
   (d) **H03VV-F 2X0.75mm².**
   (e) **H05VV-F 2X0.75mm².**
   (f) **H05VV-F 2X1.00mm².**

**Approved: 25 September 2001**

**for DIRECTOR-GENERAL**

**Head Office 1Fitzwilliam Street Parramatta PO Box 972 NSW 2124 Australia**
**Tel (02) 9895 0111 Fax (02) 9895 0222 DX 28437 Parramatta**

NSW OFFICE OF
Fair Trading
DEPARTMENT OF COMMERCE

for consumers & traders

**Ref: 17967/3**

## ADDENDUM TO CERTIFICATE OF APPROVAL 17967

**Particulars of Modification(s)**

**(a) Original Type No. YP-35 alternatively moulded to a 'Yung Li' Type H05VV-F 3G1.5mm² flexible cord (Q04083).**

**(b) General Modification:**
**Plugs now comply with AS/NZS3112 : 2004.**

**Approved: 01 May 2006**



**for Commissioner for Fair Trading**

**Safety and Standards Branch, Office of Fair Trading, Bradfield Road, Lindfield West**
**Email: energyapprovals@oft.commerce.nsw.gov.au**
**www.fairtrading.nsw.gov.au 13 32 20**

NSW OFFICE OF
Fair Trading
DEPARTMENT OF COMMERCE

for consumers & traders

Ref: 17967/5

## ADDENDUM TO CERTIFICATE OF APPROVAL 17967

### Particulars of Modification(s)

1. Type YP-35 alternatively moulded to any <HAR> certified H05RR-F 3G1.00mm² or equivalent Australian approved flexible cord.

2. Type YP-39 being similar to Type YP-35 except :-
   (a) Having 15A in lieu of 10A construction.
   (b) Marked 15A in lieu of 10A.
   (c) Alternatively moulded to any <HAR> certified H05VV-F 3G1.5mm² or H05RR-F 3G1.5mm² or equivalent Australian approved flexiible cords.

3. General Modification.
   Plugs now comply with AS/NZS3112:2001 A1

Approved: 10 May 2007

for Commissioner for Fair Trading

Safety and Standards Branch, Office of Fair Trading, Bradfield Road, Lindfield West
Email: energyapprovals@oft.commerce.nsw.gov.au
www.fairtrading.nsw.gov.au 13 32 20

NSW GOVERNMENT | Fair Trading

Ref: NSW17967/8

FILE COPY

# ADDENDUM TO CERTIFICATE OF APPROVAL: NSW17967

## Particulars of Modification(s)

Model No. YP-35 is alternatively moulded to any <HAR> certified H05RN-F 3G0.75/1.0mm$^2$ or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour;

Model No. YP-35L is identical to YP-35 except for cord connection of side-entry type in lieu of straight-entry. It can be moulded to any <HAR> certified H05RN-F 3G0.75/1.0mm$^2$, or H05RR-F 3G0.75/1.0/1.5mm$^2$, or H05VV-F 3G0.75/1.0/1.5mm$^2$, or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour;

Model No. YP-36 is alternatively moulded to any <HAR> certified H05RN-F 2x0.75/1.0mm$^2$ or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour;

Model No. YP-39 is alternatively moulded to any <HAR> certified H05RN-F 3G0.75/1.0mm$^2$, or H05VV-F 3G2.5mm$^2$, or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour.

This certificate will expire on 25/09/2016

Approved: 17 July 2013

18/7/2013

For Commissioner for Fair Trading

Energy & Utilities Unit, NSW Fair Trading,
PO Box 972, Parramatta NSW 2124
02 9895 0722

Email: energyapprovals@services.nsw.gov.au
Website: www.fairtrading.nsw.gov.au

Ref: NSW17967/13

# ADDENDUM TO CERTIFICATE OF APPROVAL: NSW17967

## Particulars of Modification(s)

Model No. YP-35 is alternatively moulded to any <HAR> certified H05Z1Z1-F 3G0.75/1.0/1.5mm² or equivalent Australian approved flexible cord.

General modification:

1) Certificate now complies with AS/NZS 3112: 2017+A1:2021 and AS/NZS 3100:2017+A1:2017+A2:2019+A3:2020.

2) Certificate NSW27916 now being added as an alternative cable certificate.

This certificate will expire on 14/04/2026

Approved pursuant to Clause 15 (1) of the Gas and Electricity (Consumer Safety) Regulation 2018:

14 March 2023

For Secretary, Department of Customer Service

Electrical & Gas Approvals, NSW Fair Trading,
PO Box 972, Parramatta NSW 2124
02 9895 0722

Email: energyapprovals@customerservice.nsw.gov.au
Website: www.fairtrading.nsw.gov.au

Ref: NSW17967/15

# RENEWAL OF CERTIFICATE OF APPROVAL: NSW17967

## Particulars of Renewal

The approval of Plug Model No. YP-35 and all approved modifications has been renewed for a period of FIVE years.

The Approval expires on 14/04/2031 unless it is renewed, extended, suspended or cancelled.

Approved pursuant to Clause 11 (1) of the Gas and Electricity (Consumer Safety) Regulation 2018

Nihad Malik

For Secretary, Department of Customer Service

Electrical & Gas Approvals
PO Box 972, Parramatta NSW 2124
02 9372 8312

Email: energyapprovals@customerservice.nsw.gov.au
Website: www.fairtrading.nsw.gov.au

VDE Prüf- und Zertifizierungsinstitut

# ZEICHENGENEHMIGUNG
# *MARKS APPROVAL*

**Yung Li Co. Ltd.**
**No. 32 Dapu Industrial St., Changping Town**
**523571 Dongguan City**
**Guangdong**
**China**

ist berechtigt, für ihr Produkt /
*is authorized to use for their product*

**Gerätesteckdose, nicht-wiederanschließbar**
***Connector, non-rewirable***

die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
*the legally protected Marks as shown below for the types referred to on page 2 ff.*




und/oder - *and/or*




Geprüft und zertifiziert nach /
*Tested and certified according to*

**DIN EN IEC 60320-1 (VDE 0625-1):2023-06; EN IEC 60320-1:2021**

**Das Produkt erfüllt auch die Anforderungen nach /**
***The product also fulfills the requirements of***

**IEC 60320-1:2021**

Aktenzeichen: 1609800-1550-0003 / 305888
*File ref.:*

VDE Prüf- und Zertifizierungsinstitut GmbH
*VDE Testing and Certification Institute*
Zertifizierungsstelle / *Certification*

Ausweis-Nr. 40029577 Blatt 1
*Certificate No.* *Page*

Weitere Bedingungen siehe Rückseite und Folgeblätter /
*further conditions see overleaf and following pages*

Offenbach, 2010-03-05
(letzte Änderung / updated 2024-01-17 )

M. Ackermann

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
*VDE certificates are valid only when published on:*

http://www.vde.com/zertifikat
*http://www.vde.com/certificate*

VDE

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*
Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

| Aktenzeichen / *File ref.* | letzte Änderung / *updated* | Datum / *Date* |
|---|---|---|
| 1609800-1550-0003 / 305888 / TL3 / E | 2024-01-17 | 2010-03-05 |

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029577.
*This supplement is only valid in conjunction with page 1 of the Certificate No. 40029577.*

## Gerätesteckdose, nicht-wiederanschließbar
## *Connector, non-rewirable*

Typ(en) / *Type(s)*

**1) YC-12**
**2) YC-12L**
**3) YC-12L-1**
**4) YC-12L-2**
**5) YC-12L-3**

| | |
|---|---|
| Bemessungsspannung<br>*Rated voltage* | AC 250 V |
| Bemessungsstrom<br>*Rated current* | 10 A |
| Polzahl<br>*Number of poles* | 2-polig mit Schutzkontakt<br>*2-pole with earthing contact* |
| Bauart<br>*Kind of construction* | Normblatt C13<br>*standard sheet C13* |
| Ausführung(en)<br>*Construction(s)* | zentrale Leitungseinführung<br>*straight cable entry*<br>Für / *for* 1)<br><br>abgewinkelte Leitungseinführung<br>*angled cable entry*<br>Für / *for* 2), 3), 4), 5) |


Fortsetzung siehe Blatt 3 /
*continued on page 3*





Merianstrasse 28, D-63069 Offenbach
Phone +49 (0) 69 83 06-0
Telefax +49 (0) 69 83 06-555

# VDE Prüf- und Zertifizierungsinstitut
# Zeichengenehmigung



Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*
Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

| Aktenzeichen / *File ref.* | letzte Änderung / *updated* | Datum / *Date* |
|---|---|---|
| 1609800-1550-0003 / 305888 / TL3 / E | 2024-01-17 | 2010-03-05 |

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029577.
*This supplement is only valid in conjunction with page 1 of the Certificate No. 40029577.*

| | |
|---|---|
| Warenzeicheninhaber<br>*Trademark holder* | Yung Li Co. Ltd. |
| Produktinformation<br>*Product information* | siehe Anlagen Nr. 300 + 700 + 701 + 702 + 900 vom 2024-01-17.<br>*see Appendix No. 300 + 700 + 701 + 702 + 900 dated 2024-01-17.* |

---

Dieser Zeichengenehmigungsausweis bildet eine Grundlage für die EU-Konformitätserklärung und CE-Kennzeichnung durch den Hersteller oder dessen Bevollmächtigten.
*This Marks Approval is a basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent.*

# VDE Prüf- und Zertifizierungsinstitut
# Zeichengenehmigung

Ausweis-Nr. / *Certificate No.* 40029577

Beiblatt / *Supplement*

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*
Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*
1609800-1550-0003 / 305888 / TL3 / E

letzte Änderung / *updated*
2024-01-17

Datum / *Date*
2010-03-05

Dieses Beiblatt ist Bestandteil des Zeichengenehmigungsausweises Nr. 40029577.
*This supplement is part of the Certificate No. 40029577.*

## Gerätesteckdose, nicht-wiederanschließbar
## *Connector, non-rewirable*

**Fertigungsstätte(n)**
***Place(s) of manufacture***

| Referenz/*Reference* | |
|---|---|
| **30008928** | Yung Li Co. Ltd.<br>No. 32 Dapu Industrial St., Changping Town<br>523571 DONGGUAN CITY<br>Guangdong<br>CHINA |

# VDE Prüf- und Zertifizierungsinstitut
# Zeichengenehmigung

Ausweis-Nr. / *Certificate No.*: 40029577

Infoblatt / *Info sheet*

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

| Aktenzeichen / *File ref.* | letzte Änderung / *updated* | Datum / *Date* |
|---|---|---|
| 1609800-1550-0003 / 305888 / TL3 / E | 2024-01-17 | 2010-03-05 |

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029577.
*This supplement is only valid in conjunction with page 1 of the Certificate No. 40029577.*

**Genehmigung zum Benutzen des auf Seite 1 abgebildeten markenrechtlich geschützten Zeichens des VDE:**

Grundlage für die Benutzung sind die Allgemeinen Geschäftsbedingungen (AGB) der VDE Prüf- und Zertifizierungsinstitut GmbH (www.vde.com\AGB-Institut). Das Recht zur Benutzung erstreckt sich nur auf die bezeichnete Firma mit den genannten Fertigungsstätten und die oben aufgeführten Produkte mit den zugeordneten Bezeichnungen. Die Fertigungsstätte muss so eingerichtet sein, dass eine gleichmäßige Herstellung der geprüften und zertifizierten Ausführung gewährleistet ist.
Die Genehmigung ist so lange gültig wie die VDE-Bestimmungen gelten, die der Zertifizierung zugrunde gelegen haben, sofern sie nicht auf Grund anderer Bedingungen aus der VDE Prüf- und Zertifizierungsordnung (PM102) zurückgezogen werden muss.
Der Gültigkeitszeitraum einer VDE-GS-Zeichengenehmigung kann auf Antrag verlängert werden. Bei gesetzlichen und / oder normativen Änderungen kann die VDE-GS-Zeichengenehmigung ihre Gültigkeit zu einem früheren als dem angegebenen Datum verlieren.
Produkte, die das Biozid Dimethylfumarat (DMF) enthalten, dürfen gemäß der Kommissionsentscheidung 2009/251/EG nicht mehr in den Verkehr gebracht oder auf dem Markt bereitgestellt werden.
Der VDE-Zeichengenehmigungsausweis wird ausschließlich auf der ersten Seite unterzeichnet.

***Approval to use the legally protected Mark of the VDE as shown on the first page:***
*Basis for the use are the general terms and conditions of the VDE Testing and Certification Institute (www.vde.com\terms-institute). The right to use the mark is granted only to the mentioned company with the named places of manufacture and the listed products with the related type references. The place of manufacture shall be equipped in a way that a constant manufacturing of the certified construction is assured.*
*The approval is valid as long as the VDE specifications are in force, on which the certification is based on, unless it is withdrawn according to the VDE Testing and Certification Procedure (PM102E).*
*The validity period of a VDE-GS-Mark Approval may be prolonged on request. In case of changes in legal and / or normative requirements, the validity period of a VDE-GS-Mark Approval may be shortened.*
*Products containing the biocide dimethylfumarate (DMF) may not be marketed or made available on the EC market according to the Commission Decision 2009/251/EC.*
*The approval is solely signed on the first page.*

NSW OFFICE OF Fair Trading DEPARTMENT OF COMMERCE for consumers & traders

Certificate Number: 22012

# CERTIFICATE OF APPROVAL

ISSUED PURSUANT TO THE ELECTRICITY (CONSUMER SAFETY) ACT 2004

ISSUED TO:

Yung Li Co Ltd

CLASS OF ARTICLE:

Appliance Connector

DESCRIPTION OF ARTICLE:

Appliance Connector
(Non-rewirable, straight entry, Group 1, C13 appliance connector for cold conditions for Class I equipment integrally moulded to any <HAR> certified H05VV-F 3G1.00mm² or Australian approved three-core, 1.00mm², PVC insulated and sheathed ordinary duty circular flexible cord)
250V, ac, 10A

EXAMINED FOR COMPLIANCE WITH: AS/NZS 60320.1 : 2004

TYPE REFERENCE CODE: Type No. YC-12

APPROVAL MARK:

Each electrical article of the abovementioned type shall be marked with Approval Number NSW22012 or N14877 ;or
the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

DATE OF APPROVAL: 31 October 2006
This approval expires 31 October 2011 unless suspended, cancelled, renewed or extended.

for Commissioner for Fair Trading

NSW OFFICE OF
Fair Trading
DEPARTMENT OF COMMERCE

for consumers & traders

**Ref: 22012/1**

## ADDENDUM TO CERTIFICATE OF APPROVAL 22012

### Particulars of Modification(s)

1. **Type No. YC-12 alternatively moulded to any <HAR> certified H05VV-F 3G0.75mm² or Australian approved, three-core, 0.75mm², PVC insulated and sheathed ordinary duty circular flexible cord not exceeding two metres in length.**

2. **Type No. YP-32 being similar to original Type No. YC-12 except a Standard Sheet 'E' Interconnection Plug Connector (AS/NZS 60320.2.2) alternatively moulded to either:-**

   (a) **Any <HAR> certified H05VV-F 3G1.00mm² or equivalent Australian approved flexible cord; or**
   (b) **Any <HAR> certified H05VV-F 3G0.75mm² or equivalent Australian approved flexible cord not exceeding two metres in length.**

3. **Type No. YC-12 alternatively moulded to any <HAR> certified H05VV-F 3G1.5mm² or Australian approved three-core, 1.5mm², PVC insulated and sheathed ordinary duty circular flexible cord.**

**Approved: 31 October 2006**



**for Commissioner for Fair Trading**

**Safety and Standards Branch, Office of Fair Trading, Bradfield Road, Lindfield West**
**Email: energyapprovals@oft.commerce.nsw.gov.au**
**www.fairtrading.nsw.gov.au 13 32 20**

Ref: NSW22012/4

# RENEWAL OF CERTIFICATE OF APPROVAL: NSW22012

## Particulars of Renewal

The approval of the original appliance connector Model YC-12 and all approved modifications has been renewed for a period of FIVE years.

The Approval expires on 31/10/2026 unless it is renewed, extended, suspended or cancelled.

Approved pursuant to Clause 11 (1) of the Gas and Electricity (Consumer Safety) Regulation 2018

6 August 2021

For Secretary, Department of Customer Service

Electrical & Gas Approvals, NSW Fair Trading,
PO Box 972, Parramatta NSW 2124
02 9895 0722

Email: energyapprovals@customerservice.nsw.gov.au
Website: www.fairtrading.nsw.gov.au

APPROVALS®

# Certificate of Conformity/Approval

**Certificate No.:** **SAA-190646-EA**

**Certificate Holder:** Yung Li Co., Ltd.
Dapu Industrial Zone, Gangzi,
Changping Town, Dongguan City,
Guangdong Province,
P.R. China

**Regulatory Definition:** Supply Flexible Cord

**Product Description:** Polyvinyl chloride sheathed cord

**Standard/s:** AS/NZS IEC 60227.5:2019

**Condition/s:** Nil

**Approval Marks:** RCM (In accordance with AS/NZS 4417 and EESS requirements)
and
SAA-190646-EA (In accordance with NSW legislative requirements)

**Initial Issue Date:** 22 March 2019

**Expiry Date:** 22 March 2029

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals CERTIFIED

APPROVALS®

# Certificate of Conformity/Approval

| Model | Trade Name | Rating/Marking |
|---|---|---|
| H05VV-F 2x2.5mm² | Yung LI | 300/500V |
| H03VVH2-F 2x0.5mm² | Yung LI | 300/300V |
| H03VVH2-F 2x0.75mm² | Yung LI | 300/300V |
| H03VV-F 2x0.5mm² | Yung LI | 300/300V |
| H03VV-F 2x0.75mm² | Yung LI | 300/300V |
| H03VV-F 3x0.5mm² | Yung LI | 300/300V |
| H03VV-F 3x0.75mm² | Yung LI | 300/300V |
| H05VVH2-F 2x0.75mm² | Yung LI | 300/500V |
| H05VVH2-F 2x1.0mm² | Yung LI | 300/500V |
| H05VV-F 2x0.75mm² | Yung LI | 300/500V |
| H05VV-F 2x1.0mm² | Yung LI | 300/500V |
| H05VV-F 2x1.5mm² | Yung LI | 300/500V |
| H05VV-F 3x0.75mm² | Yung LI | 300/500V |
| H05VV-F 3x1.0mm² | Yung LI | 300/500V |
| H05VV-F 3x1.5mm² | Yung LI | 300/500V |
| H05VV-F 3x2.5mm² | Yung LI | 300/500V |

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals
CERTIFIED

Issued: 16-01-24 190646
Renewed