

東莞永力電業有限公司

YUNG LI CO., LTD

Da Pu Industrial Zone, Gang Zi, Changping Town,
Dong Guan City, Guangdong 523571 China.P.R.C

TEL:0769-83396797~8

FAX:0769-83396796

E-mail: sales@yung-li.com

Description: YP-03/YC-14

Customer: MAG



Parts No.:

Draw No.:

REVISION RECORD




1		
2		
3		
4		
5		

YUNG LI		CUSTOMER	APPROVED
CHECKED	PREPARED BY		








NO.	SPECIFICATION	QTY	REMARK
1	YP-03 INNER BODY	1PC	
2	YP-03 PVC PLASTIC:50P BLACK	32g/PC	
3	TER:98655LBS-1	3PCS	
4	H05VV-F 0.75/3C BLACK	1PC	1810±20(YL)
5	YC-14 PVC PLASTIC:50P BLACK	18g/PC	
6	TER:98732PS-0	1PC	
7	TER:98714PS-0	2PCS	
8	H. S. G:YC-14 BLACK	1PC	
9	MINI TIE:L=130mm BLACK	1PC	
10	SLEEVE:3PIN	1PC	
11	LABEL:50*30mm	1PC	

Tolerance >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	Approved		Date		YUNG LI CO.,LTD			
	Checked		Date					
	Drawn	SUKI	Date	23.01.05	Customer	MAG		
	Cat. No.	YP-03/YC-14			P/N.	CB-3-CH		
	Drawing No.	CY-C0012-09	Rev.	B	Material	P. V. C	Unit	mm
				HEFT(g)	180			



TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD.			
	CHECKED		DATE					
	DRAWN		DATE					
	TYPE	YP-03		P/N				
	DRAWING NO	CY-P03C		MATERIAL	P.V.C	UNIT	mm	
				SCALE	1:1			



TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD.			
	CHECKED		DATE					
	DRAWN		DATE					
	TYPE	YC-14			P/N			
DRAWING NO				MATERIAL	P.V.C	UNIT	mm	
				SCALE	1:1			

SPECIFICATION

TYPE	DESCRIPTION	PART NO.	PAGE
YP-03/YC-14	POWER SUPPLY CORD		1 of 5

1. SCOPE:

This specification applies to POWER SUPPLY CORDS which are in compliance with GB2099.1-1996 and GB1002-1996 standards and approved CHINA with approval number as follows:

2. Standard of applicable

No.	Item	Type	Max. voltages	Max. current	File No.
2.1	Plug	YP-03	250V	10A	
2.2	Connector	YC-14	250V	2.5A	
2.3	Cord	H05VV-F 0.75/3C			

3. TEST CONDITION: This test and measurement, unless otherwise specified shall be carried out at a temperature of 15⁰C to 35⁰C, relative humidity of 25% to 85%, and atmospheric pressure of 86kpa to 106kpa.

However, when any doubt arises on the judgement value under it the test and measurement shall be carried out at a temperature of 20±2⁰C, relative humidity of 60% to 70%, and atmospheric pressure of 86kpa to 106kpa.

4.ELECTRICAL PERFORMANCE

NO.	Item	Test condition	Requirement
4-1	Dielectric Withstanding Voltage test	(a) In this air (20±5 ⁰ C) AC2000V is applied between a conductor and other conductor for 1 second.(Cut off current 0.3 mA). (b) Immersed in water(20±5 ⁰ C) AC 1000V is applied between a conductor and other conductor for 1 minute	No breakage No breakage
4-2	Current and Polarity test	L-L E-E N-N	No problem with Conductor

SPECIFICATION

TYPE	DESCRIPTION	PART NO.	PAGE
YP-03/YC-14	POWER SUPPLY CORD		2 of 5

4. ELECTRICAL PERFORMANCE

4.

No.	ITEM	Test condition	Requirement
4-3	Insulation resistance test	In the air 20 ⁰ C~60 ⁰ C DC 500V	5M MIN
4-4	Conductor resistance test	In the air 20 ⁰ C~60 ⁰ C	25.1 / km MAX

5. MECHANICAL PERFORMANCE

NO.	Item	Test condition	Requirement
5-1	Tensile strength (initial sample)	insulation	15LBS/2min
5-2	Deformation test	Exposure to 120±3 ⁰ C atmosphere for 0.5H Weight 510g	The thickness of sample shall not decrease more than 50%
5-3	Accelerated Aging test	Exposure to 75±2 , atmosphere for 168 hours under natural ventilation.	No crack mucus mark wire exposure short and opposite polarity.


SPECIFICATION

TYPE	DESCRIPTION	PART NO.	PAGE
YP-03/YC-14	POWER SUPPLY CORD		3 of 5

5. MECHANICAL PERFORMANCE (CODE)

NO.	Item	Test condition	Requirement
5-4	Input & output Force to connector	It is tested after taking the action of 10time input & output.	Applied force is 1~6kg



6. MECHANICAL PERFORMANCE

NO.	Item	Test condition	Requirement
6-1	Pulling out force of conductor	<p>The connector between blade terminal and conductor shall not break under a pull force of 20lbs for 1minute</p> <div style="text-align: center;">  </div>	Blade can not fall down

SPECIFICATION

TYPE	DESCRIPTION	PART NO.	PAGE
YP-03/YC-14	POWER SUPPLY CORD		4 of 5


6.MECHANICAL PERFORMANCE

NO.	Item	Test condition	Requirement
6-2	Pulling out force of blades	<p>The attachment plug is supported on a horizontal steel plate with the blades down ward through a hole sufficiently large just to permit the blades to pass through it a weight than exert 89N force for two minutes is to be supported by each blade in succession.</p> <div style="text-align: center;">  </div>	<p>The residual displacement of either blade must not more than 2.4mm after 2 minutes of load.</p>
6-3	Pulling out force of cord	<p>The joint in flexible cord is to be securely support-rated by a rigid flat mounted horizontally, a pull of 133.4N weight for one minute to the flexible cord</p> <div style="text-align: center;">  </div>	<p>No looseness</p>

SPECIFICATION

TYPE	DESCRIPTION	PART NO.	PAGE
YP-03/YC-14	POWER SUPPLY CORD		5 of 5

6.MECHANICAL PERFORMANCE

NO.	Item	Test condition	Requirement
6-4	Bending force	<p>The power supply cord division is fixing and load of 1000g is added to a tip of a cable. It is made to do 10000times bending on right and left each 45° (bending speed 60 times/minute)</p> <div style="text-align: center;">  </div>	Breaking rate is under 30%

YUNG LI CO., LTD

SPECIFICATION

Yung Li	Style	PVC FLEXIBLE CORDS	Document No
2005.09.23			
Edition	Size	H05VV-F 3G 0.75mm²	Page
A			1/2

1. Standard: IEC 227 IEC228
 2. Construction & Dimension

	Item	Specification
Conductor	Size	3G 0.75mm ²
	Material	Annealed Bare Copper
	Construction	24/ 0.202±0.01
Insulation	Material	PVC
	Minimum Average Thickness	0.60mm
	Minimum Thickness at any point	0.44mm
	Diameter	2.35 ± 0.10
	Identification	Blue,Brown, Yellow/Green
Core Assembly	Core Twist	3-Core
	Filler	NA
	Assembly Pair	NA
Taping	Mylar Foil	NA
Shielded	A1-Mylar Foil	NA
Drain	Material	NA
	Construction	NA
Jacket	Material	NA
	Minimum Average Thickness	0.8mm
	Minimum Thickness at any point	0.58mm
	Overall Diameter(Approx)	6.7 ± 0.15
	Color	Any Color

Marking:

YUNG LI H05VV-F 3G 0.75mm² ◁VDE▷ NF-USE 1347 (NF) KEMA-KEUR △CEBEC ◁OVE▷ (D) (FI) (N)
 (S) (S) IEMMEQU Q04083 (CCC) A004049 227 IEC 53 RVV 300/500V (K) KTL SU01027-4002

YUNG LI CO., LTD


SPECIFICATION

Yung Li	Style	PVC FLEXIBLE CORDS	Document No
2005.09.23			
Edition	Size	H05VV-F 3G 0.75mm²	Page
A			2/2

4. Electrical & Physical Properties

Item		Specification	
Rating Voltage		70 300/500V	
Conductor resistance(AT 20)		26.0 /Km MAX	
Insulation Resistance(AT 70)		0.011M /Km Min	
Dielectric Strength		AC 2.0 KV / 15 min No Break	
Spark Test		5.0KV	
Insulation	Unaged	Tensile Strength	1.02 kgf/mm ² min
		Elongation	150% Min
	Aged	Tensile Strength	80~120% (80 x168hrs)
		Elongation	80~120% (80 x168hrs)
	Loss of mass Test		2.0mg/cm ² (max)
Jacket	Unaged	Tensile Strength	1.02 kgf/mm ² min
		Elongation	150% Min
	Aged	Tensile Strength	80~120% (80 x168hrs)
		Elongation	80~120% (80 x168hrs)
	Loss of mass Test		2.0mg/cm ² (max)
Deformation Test		70±4 X 1hr 50%	
Cold Bend Test		-15 x 4hr No Crack	
Heat Shock Test		150±2 x 1hr No Crack	

Graph:





中国国家强制性产品认证证书

证书编号: 2007010101249048

委托人名称、地址

东莞永力电业有限公司
东莞市常平镇岗梓大埔工业区

生产者(制造商)名称、地址

东莞永力电业有限公司
东莞市常平镇岗梓大埔工业区

生产企业名称、地址

东莞永力电业有限公司
东莞市常平镇岗梓大埔工业区

产品名称和系列、规格、型号

电线组件

YP-03 10A 250V~+YC-14 2.5A 250V~(配60227IEC53 3×0.75平方毫米, 60227IEC53 3×1平方毫米), YP-03 10A 250V~+YC-14L 2.5A 250V~(配60227IEC53 3×0.75平方毫米, 60227IEC53 3×1平方毫米), YP-03L 10A 250V~+YC-14L 2.5A 250V~(配60227IEC53 3×0.75平方毫米, 60227IEC53 3×1平方毫米), YP-03L 10A 250V~+YC-14 2.5A 250V~(配60227IEC53 3×0.75平方毫米, 60227IEC53 3×1平方毫米)

产品标准和技术要求

GB15934-2008

上述产品符合强制性产品认证实施规则
CNCA-C02-01: 2014的要求, 特发此证。

发证日期: 2014年11月14日

有效期至: 2019年11月14日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2007年09月27日

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心



中国·北京·南四环西路188号9区 100070

<http://www.cqc.com.cn>

Q 1025395



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2007010101249048

NAME AND ADDRESS OF THE APPLICANT

Yung Li Co., Ltd.
Dapu Industrial Zone, Gangzi, Changping Town, Dongguan

NAME AND ADDRESS OF THE MANUFACTURER

Yung Li Co., Ltd.
Dapu Industrial Zone, Gangzi, Changping Town, Dongguan

NAME AND ADDRESS OF THE FACTORY

Yung Li Co., Ltd.
Dapu Industrial Zone, Gangzi, Changping Town, Dongguan

NAME, MODEL AND SPECIFICATION

Cord set

YP-03 10A 250V~+YC-14 2.5A 250V~ (配60227IEC53 3×0.75平方毫米, 60227IEC53 3×1平方毫米), YP-03 10A 250V~+YC-14L 2.5A 250V~ (配60227IEC53 3×0.75平方毫米, 60227IEC53 3×1平方毫米), YP-03L 10A 250V~+YC-14L 2.5A 250V~ (配60227IEC53 3×0.75平方毫米, 60227IEC53 3×1平方毫米), YP-03L 10A 250V~+YC-14 2.5A 250V~ (配60227IEC53 3×0.75平方毫米, 60227IEC53 3×1平方毫米)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB15934-2008

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification (REF NO. CNCA-C02-01:2014).

Date of issue: Nov. 14, 2014 Date of expiry: Nov. 14, 2019

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original certification: Sep. 27, 2007

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P.R. China

<http://www.cqc.com.cn>

Test Report

Report No.:SZR08060626601-B

Page 1 of 13

Applicant : YUNG LI CO., LTD.

Address : DA PU INDUSTRIAL ZONE, GANG ZI, CHANG PING TOWN, DONGGUAN CITY, GUANGDONG 523571 CHINA

Report on the submitted sample(s) said to be:

No.	Sample Names	Sample Description
1	PVC BLACK	Black plastic grains
2	PVC WHITE	White plastic grains
3	PVC BROWN	Brown plastic grains
4	PVC BLUE	Blue plastic grains
5	PVC YELLOW	Yellow plastic grains
6	PVC GREEN	Green plastic grains
7	PVC RED	Red plastic grains
8	PVC ORANGE	Orange plastic grains
9	INNERBODY	White plastic
10	INNERBODY	Beige-white plastic
11	COPPER ALLOY	Golden color metal base
12	COPPER	Cupreous color metal wire

Part No. : Please refer to the attached page


Sample Received Date : Jun. 6, 2008

Testing Period : Jun. 6, 2008 to Jun. 17, 2008

Test Requested : 1. As specified by client, for sample No.1, 2, 3, 4, 5, 6, 7, 8, 9, 10, to determine the Lead, Mercury, Cadmium, Hexavalent Chromium, Perfluorooctane Sulfonates, Bisphenol-A, Di-2-ethylhexyl phthalate, Tetrabromobisphenol-A, Hexabromocyclododecane, Polycyclic Aromatic Hydrocarbons(PAHs), PBBs&PBDEs content in the submitted sample.
2. As specified by client, for sample No.11,12, to determine the Lead, Mercury, Cadmium and Hexavalent Chromium content in the submitted sample.

Test Method/Test Result(s): Please refer to the following page(s).

Tested by



Inspected by

Jed

Approved by

Date

Jul. 22, 2008

Technical Manager

Building C, Hongwei industrial zone, Baoan 70 district, Shenzhen, China
Tel:86-755-33683666 Fax:86-755-33683385
E-mail:info@cti-cert.com http://www.cti-cert.com

Nº 01460034

080725-3

Test Report

Report No.:SZR08060626601-B

Page 2 of 13

Test Method:

Tested Item(s)	Pretreatment Method	Measured Equipment(s)	Report Limit
Lead (Pb)	Refer to US EPA 3052:1996	ICP-AES	2ppm
Mercury (Hg)	Refer to US EPA 3052:1996	CV- AA	2ppm
Cadmium (Cd)	Refer to EN 1122:2001 method B	ICP-AES	2ppm
	Refer to US EPA 3050B:1996 or other acid digestion		
Hexavalent Chromium (Cr ⁶⁺)	Refer to US EPA 3060A:1996	UV-Vis	2ppm
Perfluorooctane Sulfonates (PFOS)	Refer to US EPA 3550C	LC-MS-MS	5ppm
Bisphenol-A(BP-A)	Refer to ISO 8974:2002	HPLC	5ppm
Di-2-ethylhexyl phthalate (DEHP)	Refer to ASTM D3421	GC-MSD	50ppm
Tetrabromobisphenol-A (TBBP-A)	Refer to DIN 53313	GC-MSD	5ppm
Hexabromocyclododecane (HBCD)	Refer to US EPA 3540C:1996	GC-MSD	5ppm
Polycyclic Aromatic Hydrocarbons (PAHs)	Refer to US EPA 8270D	GC-MSD	0.1ppm
Polychlorinated Biphenyls (PCBs)	Refer to US EPA 3540C:1996	GC-MSD	5ppm
Polychlorinated Diphenyl Ethers (PCDEs)	Refer to US EPA 3540C:1996	GC-MSD	5ppm

Test Result(s):

Tested Item(s)	Content		
	Sample No.1	Sample No.2	Sample No.3
Lead (Pb)	N.D.	N.D.	N.D.
Mercury (Hg)	N.D.	N.D.	N.D.
Cadmium (Cd)	N.D.	N.D.	N.D.
Hexavalent Chromium (Cr ⁶⁺)	N.D.	N.D.	N.D.
Perfluorooctane Sulfonates (PFOS)	N.D.	N.D.	N.D.
Bisphenol-A(BP-A)	N.D.	N.D.	23ppm
Di-2-ethylhexyl phthalate (DEHP)	121ppm	133ppm	339ppm
Tetrabromobisphenol-A (TBBP-A)	N.D.	N.D.	N.D.
Hexabromocyclododecane (HBCD)	N.D.	N.D.	N.D.

Test Report

Report No.:SZR08060626601-B

Page 3 of 13

Test Result(s):

Tested Item(s)	Content		
	Sample No.4	Sample No.5	Sample No.6
Lead (Pb)	N.D.	N.D.	N.D.
Mercury (Hg)	N.D.	N.D.	N.D.
Cadmium (Cd)	N.D.	N.D.	N.D.
Hexavalent Chromium (Cr ⁶⁺)	N.D.	N.D.	N.D.
Perfluorooctane Sulfonates (PFOS)	N.D.	N.D.	N.D.
Bisphenol-A(BP-A)	N.D.	20ppm	N.D.
Di-2-ethylhexyl phthalate (DEHP)	151ppm	214ppm	151ppm
Tetrabromobisphenol-A (TBBP-A)	N.D.	N.D.	N.D.
Hexabromocyclododecane (HBCD)	N.D.	N.D.	N.D.

Tested Item(s)	Content		
	Sample No.7	Sample No.8	Sample No.9
Lead (Pb)	N.D.	N.D.	N.D.
Mercury (Hg)	N.D.	N.D.	N.D.
Cadmium (Cd)	N.D.	N.D.	N.D.
Hexavalent Chromium (Cr ⁶⁺)	N.D.	N.D.	N.D.
Perfluorooctane Sulfonates (PFOS)	N.D.	N.D.	N.D.
Bisphenol-A(BP-A)	N.D.	N.D.	N.D.
Di-2-ethylhexyl phthalate (DEHP)	115ppm	196ppm	N.D.
Tetrabromobisphenol-A (TBBP-A)	N.D.	N.D.	N.D.
Hexabromocyclododecane (HBCD)	N.D.	N.D.	N.D.

Tested Item(s)	Content		
	Sample No.10	Sample No.11	Sample No.12
Lead (Pb)	N.D.	18410ppm	8ppm
Mercury (Hg)	N.D.	N.D.	N.D.
Cadmium (Cd)	N.D.	N.D.	N.D.
Hexavalent Chromium (Cr ⁶⁺)	N.D.	N.D.	N.D.
Perfluorooctane Sulfonates (PFOS)	N.D.	/	/
Bisphenol-A(BP-A)	16ppm	/	/
Di-2-ethylhexyl phthalate (DEHP)	N.D.	/	/
Tetrabromobisphenol-A (TBBP-A)	N.D.	/	/
Hexabromocyclododecane (HBCD)	N.D.	/	/

Building C, Hongwei Industrial zone, Baoan 70 district, Shenzhen, China

Tel:86-755-33683666

Fax:86-755-33683385

E-mail:info@cti-cert.com

http://www.cti-cert.com

Nº 01460036

Test Report

Report No.:SZR08060626601-B

Page 4 of 13

Test Result(s):

Tested Item(s)	Content			
	Sample No.1	Sample No.2	Sample No.3	Sample No.4
Polycyclic Aromatic Hydrocarbons(PAHs)				
Naphthalene	N.D.	N.D.	N.D.	N.D.
Acenaphthene	N.D.	N.D.	N.D.	N.D.
Acenaphthylene	N.D.	N.D.	N.D.	N.D.
Fluorene	N.D.	N.D.	N.D.	N.D.
Phenanthrene	N.D.	N.D.	N.D.	N.D.
Anthracene	N.D.	N.D.	N.D.	N.D.
Fluoranthene	N.D.	N.D.	N.D.	N.D.
Pyrene	N.D.	N.D.	N.D.	N.D.
Benzo[a]anthracene	N.D.	N.D.	N.D.	N.D.
Chrysene	N.D.	N.D.	N.D.	N.D.
Benzo[b]fluoranthene	N.D.	N.D.	N.D.	N.D.
Benzo[k]fluoranthene	N.D.	N.D.	N.D.	N.D.
Benzo[a]pyrene	N.D.	N.D.	N.D.	N.D.
Indenol[1,2,3-cd]pyrene	N.D.	N.D.	N.D.	N.D.
Dibenz[a,h]anthracene	N.D.	N.D.	N.D.	N.D.
Benzo[g,h,i]perylene	N.D.	N.D.	N.D.	N.D.

Test Report

Report No.:SZR08060626601-B

Page 5 of 13

Test Result(s):

Tested Item(s)	Content			
	Sample No.5	Sample No.6	Sample No.7	Sample No.8
Polycyclic Aromatic Hydrocarbons(PAHs)				
Naphthalene	0.7ppm	0.4ppm	0.4ppm	N.D.
Acenaphthene	N.D.	N.D.	N.D.	N.D.
Acenaphthylene	N.D.	N.D.	N.D.	N.D.
Fluorene	N.D.	N.D.	N.D.	N.D.
Phenanthrene	N.D.	N.D.	N.D.	N.D.
Anthracene	N.D.	N.D.	N.D.	N.D.
Fluoranthene	N.D.	N.D.	N.D.	N.D.
Pyrene	N.D.	N.D.	N.D.	N.D.
Benzo[a]anthracene	N.D.	N.D.	N.D.	N.D.
Chrysene	N.D.	N.D.	N.D.	N.D.
Benzo[b]fluoranthene	N.D.	N.D.	N.D.	N.D.
Benzo[k]fluoranthene	N.D.	N.D.	N.D.	N.D.
Benzo[a]pyrene	N.D.	N.D.	N.D.	N.D.
Indenol[1,2,3-cd]pyrene	N.D.	N.D.	N.D.	N.D.
Dibenz[a,h]anthracene	N.D.	N.D.	N.D.	N.D.
Benzo[g,h,i]perylene	N.D.	N.D.	N.D.	N.D.

Test Report

Report No.:SZR08060626601-B

Page 6 of 13

Test Result(s):

Tested Item(s)	Content	
	Sample No.9	Sample No.10
Polycyclic Aromatic Hydrocarbons(PAHs)		
Naphthalene	N.D.	N.D.
Acenaphthene	N.D.	N.D.
Acenaphthylene	N.D.	N.D.
Fluorene	N.D.	N.D.
Phenanthrene	N.D.	N.D.
Anthracene	N.D.	N.D.
Fluoranthene	N.D.	N.D.
Pyrene	N.D.	1.3ppm
Benzo[a]anthracene	N.D.	N.D.
Chrysene	N.D.	N.D.
Benzo[b]fluoranthene	N.D.	N.D.
Benzo[k]fluoranthene	N.D.	N.D.
Benzo[a]pyrene	N.D.	N.D.
Indeno[1,2,3-cd]pyrene	N.D.	N.D.
Dibenz[a,h]anthracene	N.D.	N.D.
Benzo[g,h,i]perylene	N.D.	N.D.

Test Report

Report No.:SZR08060626601-B

Page 7 of 13

Test Result(s):

Tested Item(s)	Content			
	Sample No.1	Sample No.2	Sample No.3	Sample No.4
Polybrominated Biphenyls(PBBs)				
Monobromobiphenyl	N.D.	N.D.	N.D.	N.D.
Dibromobiphenyl	N.D.	N.D.	N.D.	N.D.
Tribromobiphenyl	N.D.	N.D.	N.D.	N.D.
Tetrabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Pentabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Hexabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Heptabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Octabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Nonabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Decabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Polybrominated Diphenyl Ethers(PBDEs)				
Monobromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Dibromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Tribromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Tetrabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Pentabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Hexabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Heptabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Octabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.

Test Report

Report No.:SZR08060626601-B

Page 8 of 13

Test Result(s):

Tested Item(s)	Content			
	Sample No.5	Sample No.6	Sample No.7	Sample No.8
Polybrominated Biphenyls(PBBs)				
Monobromobiphenyl	N.D.	N.D.	N.D.	N.D.
Dibromobiphenyl	N.D.	N.D.	N.D.	N.D.
Tribromobiphenyl	N.D.	N.D.	N.D.	N.D.
Tetrabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Pentabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Hexabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Heptabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Octabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Nonabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Decabromobiphenyl	N.D.	N.D.	N.D.	N.D.
Polybrominated Diphenyl Ethers(PBDEs)				
Monobromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Dibromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Tribromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Tetrabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Pentabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Hexabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Heptabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Octabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl ether	N.D.	N.D.	N.D.	N.D.

Test Report

Report No.:SZR08060626601-B

Page 9 of 13

Test Result(s):

Tested Item(s)	Content	
	Sample No.9	Sample No.10
Polybrominated Biphenyls(PBBs)		
Monobromobiphenyl	N.D.	N.D.
Dibromobiphenyl	N.D.	N.D.
Tribromobiphenyl	N.D.	N.D.
Tetrabromobiphenyl	N.D.	N.D.
Pentabromobiphenyl	N.D.	N.D.
Hexabromobiphenyl	N.D.	N.D.
Heptabromobiphenyl	N.D.	N.D.
Octabromobiphenyl	N.D.	N.D.
Nonabromobiphenyl	N.D.	N.D.
Decabromobiphenyl	N.D.	N.D.
Polybrominated Diphenyl Ethers(PBDEs)		
Monobromodiphenyl ether	N.D.	N.D.
Dibromodiphenyl ether	N.D.	N.D.
Tribromodiphenyl ether	N.D.	N.D.
Tetrabromodiphenyl ether	N.D.	N.D.
Pentabromodiphenyl ether	N.D.	N.D.
Hexabromodiphenyl ether	N.D.	N.D.
Heptabromodiphenyl ether	N.D.	N.D.
Octabromodiphenyl ether	N.D.	N.D.
Nonabromodiphenyl ether	N.D.	N.D.
Decabromodiphenyl ether	N.D.	N.D.

Note: -N.D. = Not Detected (<report limit)

-ppm = mg/kg=parts per million

Remark: 1. The test results of the samples of No.1, 2, 3, 4, 5, 6, 7, 8, 12 of this report copy from the test results of the samples of No.1, 2, 3, 4, 5, 6, 7, 8, 9 of the test report(Report No.SZR08060626602).

2. The test results of Bisphenol-A of Sample No.5 copy from the test report (Report No.RLSZA000020790001).

3. This report is amended base on the test report No.SZR08060626601-A.


Test Report

Report No.:SZR08060626601-B


Page 10 of 13

Test Process:


1. Test for Pb/Hg Content




2. Test for Cd Content



3. Test for Chromium(VI) Content



4. Test for PFOS Content




Test Report


Report No.:SZR08060626601-B

Page 11 of 13


5. Test for BP-A Content




6. Test for DEHP Content




7. Test for TBBP-A Content



8. Test for PAHs Content



9. Test for HBCD/PBBs/PBDEs Content



Test Report

Report No.:SZR08060626601-B


Page 12 of 13

Photos of the samples


Sample No.1



Sample No.2



Sample No.3



Sample No.4



Sample No.5



Sample No.6



Test Report

Report No.:SZR08060626601-B

Page 13 of 13

Photos of the samples

Sample No.7




Sample No.8



Sample No.9



Sample No.10



Sample No.11



Sample No.12



*** End of report ***

This report is considered invalidated without the Special Seal for Inspection of the CTI, This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of CTI, this test report shall not be copied except in full and published as advertisement.

Attached Page

Part No.:

YL-0312	YL-0213	YL-1214	YL-8115	YL-2121	YL-0222	YL-1223	YL-2135	YCM-001
YL-1212L	YL-1113	YL-1214L	YL-0315	YL-2121L	YL-1122	YL-0323	YL-21K35	YCM-002
YL-2112	YL-1113L	YL-2214	YL-21K15	YL-21K21	YL-1122L	YL-21K23	YL-4535	YCM-003
YL-2112L	YL-1113A	YL-3114	YL-2215	YL-21K21L	YL-21K22	YL-2623	YL-6035	YCM-004
YL-21K12	YL-2113A	YL-3214	YL-2215L	YL-3621	YL-2622	YL-3223	YL-8035	YCM-005
YL-2212	YL-2113	YL-3514	YL-2615	YL-3621L	YL-3522	YL-3523	YL-150	SR
YL-2212L	YL-2113L	YL-4514	YL-3215	YL-8021	YL-3622	YL-4523	YL-150A	YD-05
YL-3112	YL-21K13	YL-4614	YL-3415	YL-6021	YL-3622L	YL-4623	YL-2600	YD-06
YL-3412	YL-3213	YL-6014	YL-3515	YL-6021L	YL-8022	YL-4823	YL-4600	YD-07
YL-3512	YL-3413	YL-6014L	YL-4515	YL-8121	YL-6022	YL-6023	YL-4500	YD-09
YL-3512L	YL-3613	YL-0314	YL-4615	YL-4821	YL-6022L	YL-8123	YL-8100	YD-10
YL-4512	YL-3613L	YL-21K14	YL-8015	YL-921	YL-8122	YL-8023	YL-2161	YD-11
YL-4612	YL-3613A	YL-344	YL-6015	YL-921A	YL-1245	YL-223	YD-17	YD-12
YL-6012	YL-6013	YL-6015L	YL-315	YL-2300	YL-1246	YL-4645	YD-18	YD-13
YL-6012L	YL-6013L	YL-915	YL-2661	YL-6100	YL-2245	YL-6145	YD-19	YD-14
YL-212	YL-8113	YL-915A	YL-1861	YP-1200	YL-2246	YL-6146	YD-20	YD-15
YL-312	YL-8013L	YL-916	YL-3561	YL-1800	YL-4546	YL-2361	YD-21	YD-16
YP-01	YP-14	YP-32L	YP-65	YP-13HB	YC-01	YC-14	YD-22	YD-23
YP-02	YP-15	YP-33	YP-66	YP-13Q	YC-04	YC-14L	YC-13E	YD-24
YP-02L	YP-15G	YP-34	YP-67	YP-13U	YC-05	YC-14G	YC-13LG	YD-25
YP-03	YP-16	YP-35	YP-68L	YP-13D	YC-05-1	YC-14S	YC-13D	YD-26
YP-03L	YP-16L	YP-36	YP-69L	YP-27	YC-05A	YC-15	YC-13S	YD-27
YP-04	YP-17L	YP-37	YP-71	YP-28	YC-06	YC-16	YC-13G	YD-28

Part No.:

YP-05	YP-17	YP-38	YP-72L	YP-29	YC-07W	YC-17	YC-56	YD-29
YP-06	YP-18	YP-39	YP-73L	YP-30	YC-08	YC-18	YC-58	YD-30
YP-07	YP-18L	YP-40	YP-74L	YP-31	YC-09	YC-18L	YC-59	YP-13T
YP-08	YP-18N	YP-42	YP-75L	YP-32	YC-10	YC-19	YC-72	
YP-09	YP-18B	YP-45	YP-76	YP-13	YC-11	YC-20	YC-73	
YP-11	YP-18A	YP-46	YP-77	YP-13BL	YC-12	YC-21	YP-58N	
YP-11W	YP-18T	YP-47	YP-78	YP-13L	YC-12G	YC-21A	YP-59	
YP-11C	YP-19	YP-48	YP-79	YP-13C	YC-12A	YC-22	YP-60L	
YP-11L	YP-19L	YP-49	YP-80	YP-13S	YC-12L	YC-23	YP-61	
YP-11A	YP-20	YP-50	YP-81	YP-13H	YC-12T	YC-25	YP-62	
YP-12	YP-21	YP-51	YP-90L	YP-13HP	YC-12C	YC-25L	YP-63	
YP-12C	YP-21K	YP-52	YP-91L	YP-23	YC-13	YC-35	YP-64	
YP-12L	YP-21A	YP-53	YP-92L	YP-23K	YC-13BL	YC-45	YP-98L	
YP-12A	YP-21S	YP-54	YP-93L	YP-24	YC-13L	YC-46	YP-99L	
YP-12G	YP-21C	YP-55	YP-94L	YP-24K	YC-13C	YC-52	YP-13Y	
YP-12P	YP-21T	YP-56	YP-95L	YP-24L	YC-13W	YC-53	YP-13N	
YP-12E	YP-22	YP-57	YP-96L	YP-25	YC-13A	YC-54	YP-13M	
YP-12N	YP-22K	YP-58	YP-97L	YP-26	YC-13B	YC-55	YP-13P	

Part No.:

SVT, SVTO, SJT, SJTW	SPT-1, NISPT-1	VCTF, HVCTF	H05VV-F, H03VV-F
SJTO, SJTOW, SJTOOW	SPT-2, NISPT-2	VCTFK, HVCTFK	H05VVH2-F
ST, STW, STOW, STOO	SPT-3, NISPT-3	VFF, HVFF, VSF	H03VVH2-F
STO, SO, SOW, SJ	SRDT, DRT	VCT, HVCT	H05V2V2-F
SOOW, S, SOO, SJOO	1015, 1007, 1061,		H03V2V2-F
SJO, SJOW, SJOOW	1728, 1185, 2468,		H05V2V2H2-F
	2464		H03V2V2H2-F

永泰



Test Report

No. CANEC0800459703

Date: 01 Mar 2008 Page 1 of 6

YONGHAO ELECTRICITY INDUSTRY CO.,LTD
DONGGUAN SHI CHANGAN ZHEN SHA TOU SHA QU JING HAI XI LU
CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as :
PE 黑色扎带

SGS Job No. : 10851727 - SZ
SGS Internal Reference No. : 6.3
Date of Sample Received : 26 Feb 2008
Testing Period : 26 Feb 2008 - 29 Feb 2008

Test Requested : Selected test(s) as requested by client.


Test Method : Please refer to next page(s).

Test Results : Please refer to next page(s).

Signed for and on behalf of
SGS-CSTC Ltd.

Huang Fang, Sunny
Sr. Engineer

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in the test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law.



198 Kexue Road, Songshan Park, Dongguan, P.R. China
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510063

t (86-20) 82155555

f (86-20) 82075125

GZ081622677
www.cn.sgs.com

sgs.china@sgs.com



Test Report

No. CANEC0800459703

Date: 01 Mar 2008

Page 2 of 6

Test Results:

ID for specimen 1 : CAN08-004597.003
 Description for specimen 1 : Black plastic

Heavy metal(s)

Test Item(s)	Unit	Test Method (Reference)	Result	MDL
Cadmium (Cd)	mg/kg	IEC 62321/2nd CDV (111/95/CDV), ICP-OES	N.D.	2
Lead (Pb)	mg/kg	IEC 62321/2nd CDV (111/95/CDV), ICP-OES	N.D.	2
Mercury (Hg)	mg/kg	IEC 62321/2nd CDV (111/95/CDV), ICP-OES	N.D.	2
Hexavalent Chromium (CrVI) by alkaline extraction	mg/kg	IEC 62321/2nd CDV (111/95/CDV), UV-Vis	N.D.	2

Note:

1. mg/kg = ppm
2. N.D. = Not Detected (< MDL)
3. MDL = Method Detection Limit

Flame retardant

Test Item(s)	Unit	Test Method (Reference)	Result	MDL
Sum of PBBs	mg/kg		N.D.	-
Monobromobiphenyl	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Dibromobiphenyl	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Tribromobiphenyl	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Tetrabromobiphenyl	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Pentabromobiphenyl	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Hexabromobiphenyl	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Heptabromobiphenyl	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Octabromobiphenyl	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Nonabromobiphenyl	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Decabromobiphenyl	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Sum of PBDEs	mg/kg		N.D.	5
Monobromodiphenyl ether	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	-
Dibromodiphenyl ether	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Tribromodiphenyl ether	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Tetrabromodiphenyl ether	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Pentabromodiphenyl ether	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Hexabromodiphenyl ether	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Heptabromodiphenyl ether	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Octabromodiphenyl ether	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Nonabromodiphenyl ether	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5
Decabromodiphenyl ether	mg/kg	IEC 62321/2nd CDV (111/95/CDV), GC-MS	N.D.	5

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders will be prosecuted to the fullest extent of the law.

188 Xinhua Road, SCIENCE CITY, Guangzhou, P.R. China 510650
 中国 - 广州 - 经济技术开发区科学城翔鹤路188号 邮编: 510650
 TEL: 86-20-82155555 1 (86-20) 82075125 www.sgs.com
 00800 82155555 1 (86-20) 82075125 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Test Report

No. CANEC0800459703

Date: 01 Mar 2008

Page 3 of 6

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. "-" = Not regulated

PAHs (Polynuclear Aromatic Hydrocarbons)

Test Item(s)	Unit	Test Method (Reference)	Result	MDL
Naphthalene (NAP)	mg/kg	EPA 8270D: 2006, GC-MS	0.3	0.1
Acenaphthylene (ANY)	mg/kg	EPA 8270D: 2006, GC-MS	0.2	0.1
Acenaphthene (ANA)	mg/kg	EPA 8270D: 2006, GC-MS	N.D.	0.1
Fluorene (FLU)	mg/kg	EPA 8270D: 2006, GC-MS	0.1	0.1
Phenanthrene (PHE)	mg/kg	EPA 8270D: 2006, GC-MS	0.2	0.1
Anthracene (ANT)	mg/kg	EPA 8270D: 2006, GC-MS	N.D.	0.1
Fluoranthene (FLT)	mg/kg	EPA 8270D: 2006, GC-MS	0.3	0.1
Pyrene (PYR)	mg/kg	EPA 8270D: 2006, GC-MS	0.7	0.1
Benz(a)anthracene (BaA)	mg/kg	EPA 8270D: 2006, GC-MS	N.D.	0.1
Chrysene (CHR)	mg/kg	EPA 8270D: 2006, GC-MS	N.D.	0.1
Benzo(b)fluoranthene (BbF)	mg/kg	EPA 8270D: 2006, GC-MS	N.D.	0.1
Benzo(k)fluoranthene (BkF)	mg/kg	EPA 8270D: 2006, GC-MS	N.D.	0.1
Benzo(a)pyrene (BaP)	mg/kg	EPA 8270D: 2006, GC-MS	N.D.	0.1
Indeno(1,2,3-cd)pyrene (IPY)	mg/kg	EPA 8270D: 2006, GC-MS	N.D.	0.1
Dibenz(a,h)anthracene (DBA)	mg/kg	EPA 8270D: 2006, GC-MS	N.D.	0.1
Benzo(g,h,i)perylene (BPE)	mg/kg	EPA 8270D: 2006, GC-MS	N.D.	0.1
2-Methylnaphthalene (2-MNP)*	mg/kg	EPA 8270D: 2006, GC-MS	1.8	0.1
1-Methylnaphthalene (1-MNP)*	mg/kg	EPA 8270D: 2006, GC-MS	0.6	0.1
Total PAHs	mg/kg		Min.1.8	-

Note:

- 1. mg/kg = ppm
- 2. N.D. = Not Detected (< MDL)
- 3. MDL = Method Detection Limit
- 4. LFGB Requirement:

For products of skin contact>30s: the maximum permissible limit of the total PAHs is 10 mg/kg and that of Benzo(a)pyrene (BaP) is 1 mg/kg.

For products of skin contact<30s: the maximum permissible limit of the total PAHs is 200 mg/kg and that of Benzo(a)pyrene (BaP) is 20 mg/kg.

- 5. * These PAHs are not added up

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders will be prosecuted to the fullest extent of the law.

SGS (China) Technical Service Co., Ltd.
Guangzhou Branch

198 Kexin Road, SOFITEC Park, Guangzhou, P.R. China, Postal Code: 510665

中国·广州·经济技术开发区·科园一路198号 邮编: 510665

Tel: (86-20) 82155555

Fax: (86-20) 82155555

Tel: (86-20) 82075125

Fax: (86-20) 82075125

www.cn.sgs.com

e sgs.china@sgs.com

GZCM 1622679

Member of the SGS Group (SGS SA)



Test Report

No. CANEC0800459703


Date: 01 Mar 2008

Page 4 of 6


ATTACHMENTS

Testing Flow Chart

- 1) Name of the person who made measurement: David Shen
- 2) Name of the person in charge of measurement: Emily Feng



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders will be prosecuted to the fullest extent of the law.



198 Kexu Road, SCENTECH Park, Guangzhou, P.R. China 510663 : 86-20 82155555 f (86-20) 82075125 www.cn.sgs.com
 中国·广州·经济开发区科学城凯旭路198号 邮编: 510663 : 86-20 82155555 f (86-20) 82075125 e sgs.china@sgs.com


GZCM1622680

Member of the SGS Group (SGS SA)


ATTACHMENTS

Testing Flow Chart

- 1) Name of the person who made measurement: Fiona Xu
- 2) Name of the person in charge of measurement: Nina Wu



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders will be prosecuted to the fullest extent of the law.



SGS (China) Testing Services Co., Ltd. | 85-20 82155555 | (86-20) 82075125 | www.cn.sgs.com
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 | (86-20) 82155555 | (86-20) 82075125 | sgs.china@sgs.com


Test Report

No. CANEC0800459703

Date: 01 Mar 2008


Page 6 of 6

Sample photo:



SGS authenticate the photo on original report only
*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in the test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders will be prosecuted to the fullest extent of the law.



中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663
t (86-20) 82156555 f (86-20) 82156555 e sgs.china@sgs.com
1 6 2 2 6 3 2
www.cn.sgs.com

Member of the SGS Group (SGS SA)